Cambridge Assessment International Education

Cambridge International AS & A Level

CANDIDATE NAME

CENTRE NUMBER | | | | | |

CANDIDATE NUMBER | | | | |

1370453044

FURTHER MATHEMATICS **9231/33**

Paper 3 Further Mechanics **May/June 2023**

1 hour 30 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.
- Where a numerical value for the acceleration due to gravity (g) is needed, use $10\,\text{m}\,\text{s}^{-2}$.

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [ ].

This document has **16** pages. Any blank pages are indicated.

© UCLES 2023


1 A particle P of mass m is attached to one end of a light inextensible string of length a. The other end of the string is attached to a fixed point O. The particle P is held at the point A, where OA makes an angle α with the downward vertical through O, and with the string taut. The particle P is projected perpendicular to OA in an upwards direction with speed $\sqrt{3ag}$. It then starts to move along a circular path in a vertical plane. The string goes slack when P is at B, where OB makes an angle θ with the upward vertical.

Given that $\cos\alpha = \frac{4}{5}$, find the value of $\cos\theta$. [4]

2 One end of a light elastic string, of natural length a and modulus of elasticity λmg, is attached to a fixed point O. The string lies on a smooth horizontal surface. A particle P of mass m is attached to the other end of the string. The particle P is projected in the direction OP. When the length of the string is $\frac{4}{3}a$, the speed of P is $\sqrt{2ag}$. When the length of the string is $\frac{5}{3}a$, the speed of P is $\frac{1}{2}\sqrt{2ag}$.

Find the value of λ. [4]

3



A uniform lamina is in the form of a triangle ABC, with $AC = 8a$, $BC = 6a$ and angle $ACB = 90°$. The point D on AC is such that $AD = 3a$. The point E on CB is such that $CE = x$ (see diagram). The triangle CDE is removed from the lamina.

(a) Find, in terms of a and x, the distance of the centre of mass of the remaining object $ADEB$ from AC. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

© UCLES 2023

The object *ADEB* is on the point of toppling about the point *E* when the object is in the vertical plane with its edge *EB* on a smooth horizontal surface.

(b) Find x in terms of a. [3]

4



Two identical smooth uniform spheres A and B each have mass m. The two spheres are moving on a smooth horizontal surface when they collide with speeds u and $2u$ respectively. Immediately before the collision, A's direction of motion makes an angle of 30° with the line of centres, and B's direction of motion is perpendicular to the line of centres (see diagram). After the collision, A and B are moving in the same direction. The coefficient of restitution between the spheres is e.

(a) Find the value of e. [5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Find the loss in the total kinetic energy of the spheres as a result of the collision. [3]

5 One end of a light elastic string, of natural length $12a$ and modulus of elasticity kmg, is attached to a fixed point O. The other end of the string is attached to a particle of mass m. The particle moves with constant speed $\frac{3}{2}\sqrt{3ag}$ in a horizontal circle with centre at a distance $12a$ below O. The string is inclined at an angle θ to the downward vertical through O.

(a) Find, in terms of a, the extension of the string. [5]

(b) Find the value of k. [3]

6 A particle of mass m kg falls vertically under gravity, from rest. At time t s, P has fallen x m and has velocity $v\,\text{m}\,\text{s}^{-1}$. The only forces acting on P are its weight and a resistance of magnitude $kmgv$ N, where k is a constant.

(a) Find an expression for v in terms of t, g and k. [5]

(b) Given that $k = 0.05$, find, in metres, how far P has fallen when its speed is $12\,\text{m}\,\text{s}^{-1}$. [5]

7 The points O and P are on a horizontal plane, a distance 8 m apart. A ball is thrown from O with speed $u\,\text{m s}^{-1}$ at an angle θ above the horizontal, where $\tan\theta = \frac{4}{3}$. At the same instant, a model aircraft is launched with speed $5\,\text{m s}^{-1}$ parallel to the horizontal plane from a point 4 m vertically above P. The model aircraft moves in the same vertical plane as the ball and in the same horizontal direction as the ball. The model aircraft moves horizontally with a constant speed of $5\,\text{m s}^{-1}$. After T s, the ball and the model aircraft collide.

(a) Find the value of T. [6]

(b) Find the direction in which the ball is moving immediately before the collision. [3]

Additional page

If you use the following page to complete the answer to any question, the question number must be clearly shown.

© UCLES 2023

BLANK PAGE

© UCLES 2023

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

© UCLES 2023