Cambridge Assessment International Education

Cambridge International AS & A Level

CANDIDATE NAME									
CENTRE NUMBER						CANDIDATE NUMBER				

5983925337

FURTHER MATHEMATICS **9231/12**

Paper 1 Further Pure Mathematics 1 **October/November 2021**

2 hours

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [ ].

This document has **16** pages. Any blank pages are indicated.

© UCLES 2021

1 **(a)** Give full details of the geometrical transformation in the x-y plane represented by the matrix $\begin{pmatrix} 6 & 0 \\ 0 & 6 \end{pmatrix}$. [1]

.....

.....

Let $\mathbf{A} = \begin{pmatrix} 3 & 4 \\ 2 & 2 \end{pmatrix}$.

(b) The triangle DEF in the x-y plane is transformed by **A** onto triangle PQR.

Given that the area of triangle DEF is $13\,\text{cm}^2$, find the area of triangle PQR. [2]

.....

.....

(c) Find the matrix **B** such that $\mathbf{AB} = \begin{pmatrix} 6 & 0 \\ 0 & 6 \end{pmatrix}$. [2]

.....

.....

.....

.....

.....

(d) Show that the origin is the only invariant point of the transformation in the x-y plane represented by **A**. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

© UCLES 2021

2 It is given that $y = xe^{ax}$, where a is a constant.

Prove by mathematical induction that, for all positive integers n,

$$\frac{d^n y}{dx^n} = \left(a^n x + na^{n-1}\right)e^{ax}. \qquad [6]$$

3 Let $S_n = \sum_{r=1}^{n} \ln \frac{r(r+2)}{(r+1)^2}$.

(a) Using the method of differences, or otherwise, show that $S_n = \ln \frac{n+2}{2(n+1)}$. [4]

Let $S = \sum_{r=1}^{\infty} \ln \frac{r(r+2)}{(r+1)^2}$.

(b) Find the least value of n such that $S_n - S < 0.01$. [3]

4 The cubic equation $x^3 + 2x^2 + 3x + 3 = 0$ has roots α, β, γ.

(a) Find the value of $\alpha^2 + \beta^2 + \gamma^2$. [2]

.....

.....

.....

.....

.....

.....

.....

.....

(b) Show that $\alpha^3 + \beta^3 + \gamma^3 = 1$. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

© UCLES 2021


(c) Use standard results from the list of formulae (MF19) to show that

$$\sum_{r=1}^{n}\left((\alpha+r)^3+(\beta+r)^3+(\gamma+r)^3\right)=n+\tfrac{1}{4}n(n+1)\left(an^2+bn+c\right),$$

where a, b and c are constants to be determined. [6]

5 The curve C has polar equation $r = 3 + 2\sin\theta$, for $-\pi < \theta \leqslant \pi$.

(a) The diagram shows part of C. Sketch the rest of C on the diagram. [1]



The straight line l has polar equation $r\sin\theta = 2$.

(b) Add l to the diagram in part **(a)** and find the polar coordinates of the points of intersection of C and l. [5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

© UCLES 2021

(c) The region R is enclosed by C and l, and contains the pole.

Find the area of R, giving your answer in exact form. [6]

6 The curve C has equation $y = \frac{x^2}{x-3}$.

(a) Find the equations of the asymptotes of C. [3]

.....

.....

.....

.....

.....

.....

.....

(b) Show that there is no point on C for which $0 < y < 12$. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) Sketch C. [2]

(d) **(i)** Sketch the graphs of $y = \left|\frac{x^2}{x-3}\right|$ and $y = |x| - 3$ on a single diagram, stating the coordinates of the intersections with the axes. [4]

(ii) Use your sketch to find the set of values of c for which $\left|\frac{x^2}{x-3}\right| \leqslant |x| + c$ has no solution. [1]

.....

.....

7 The points A, B, C have position vectors

$$2\mathbf{i}+2\mathbf{j}, \quad -\mathbf{j}+\mathbf{k} \quad \text{and} \quad 2\mathbf{i}+\mathbf{j}-7\mathbf{k}$$

respectively, relative to the origin O.

(a) Find an equation of the plane OAB, giving your answer in the form $\mathbf{r.n} = p$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

The plane Π has equation $x-3y-2z=1$.

(b) Find the perpendicular distance of Π from the origin. [1]

.....

.....

.....

.....

.....

.....

.....

.....

© UCLES 2021

(c) Find the acute angle between the planes OAB and Π. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(d) Find an equation for the common perpendicular to the lines OC and AB. [10]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

© UCLES 2021

Additional Page

If you use the following lined page to complete the answer(s) to any question(s), the question number(s) must be clearly shown.

© UCLES 2021

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

© UCLES 2021