Cambridge Assessment International Education

Cambridge International AS & A Level

CANDIDATE NAME

CENTRE NUMBER | | | | | |

CANDIDATE NUMBER | | | | |

6289709443

FURTHER MATHEMATICS **9231/12**

Paper 1 Further Pure Mathematics 1 **October/November 2023**

2 hours

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [ ].

This document has **16** pages. Any blank pages are indicated.

© UCLES 2023

1 **(a)** Use standard results from the list of formulae (MF19) to find $\sum_{r=1}^{n}(3r^2+3r+1)$ in terms of n, simplifying your answer. [3]

(b) Show that

$$\frac{1}{r^3} - \frac{1}{(r+1)^3} = \frac{3r^2+3r+1}{r^3(r+1)^3}$$

and hence use the method of differences to find $\sum_{r=1}^{n} \frac{3r^2+3r+1}{r^3(r+1)^3}$. [5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) Deduce the value of $\sum_{r=1}^{\infty} \frac{3r^2+3r+1}{r^3(r+1)^3}$. [1]

.....

.....

.....

2 Prove by mathematical induction that, for all positive integers n,

$$\frac{\mathrm{d}^n}{\mathrm{d}x^n}\left(x^2\mathrm{e}^x\right) = \left(x^2 + 2nx + n(n-1)\right)\mathrm{e}^x.$$ [6]

3 The matrix **M** is given by $\mathbf{M} = \begin{pmatrix} k & 0 \\ 0 & 1 \end{pmatrix}\begin{pmatrix} 1 & 0 \\ 1 & 1 \end{pmatrix}$, where k is a constant and $k \neq 0$ and $k \neq 1$.

(a) The matrix **M** represents a sequence of two geometrical transformations. State the type of each transformation, and make clear the order in which they are applied. [2]

.....

.....

.....

The unit square in the $x-y$ plane is transformed by **M** onto parallelogram $OPQR$.

(b) Find, in terms of k, the area of parallelogram $OPQR$ and the matrix which transforms $OPQR$ onto the unit square. [3]

.....

.....

.....

.....

.....

(c) Show that the line through the origin with gradient $\frac{1}{k-1}$ is invariant under the transformation in the $x-y$ plane represented by **M**. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

© UCLES 2023

4 The cubic equation $27x^3 + 18x^2 + 6x - 1 = 0$ has roots α, β, γ.

(a) Show that a cubic equation with roots $3\alpha + 1$, $3\beta + 1$, $3\gamma + 1$ is

$$y^3 - y^2 + y - 2 = 0.$$ [3]

The sum $(3\alpha+1)^n + (3\beta+1)^n + (3\gamma+1)^n$ is denoted by S_n.

(b) Find the values of S_2 and S_3. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) Find the values of S_{-1} and S_{-2} . [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

5 The plane Π_1 has equation $\mathbf{r} = \mathbf{i} - \mathbf{j} - 2\mathbf{k} + \lambda(\mathbf{i} - 2\mathbf{j} - 3\mathbf{k}) + \mu(3\mathbf{i} - \mathbf{k})$.

(a) Find an equation for Π_1 in the form $ax + by + cz = d$. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

The line l, which does not lie in Π_1, has equation $\mathbf{r} = -3\mathbf{i} + \mathbf{k} + t(\mathbf{i} + \mathbf{j} + \mathbf{k})$.

(b) Show that l is parallel to Π_1. [2]

.....

.....

.....

.....

.....

.....

.....

.....

© UCLES 2023

(c) Find the distance between l and Π_1. [3]

(d) The plane Π_2 has equation $3x + 3y + 2z = 1$.

Find a vector equation of the line of intersection of Π_1 and Π_2. [4]

6 The curve C has polar equation $r = \mathrm{e}^{-\theta} - \mathrm{e}^{-\frac{1}{2}\pi}$, where $0 \leqslant \theta \leqslant \frac{1}{2}\pi$.

(a) Sketch C and state, in exact form, the greatest distance of a point on C from the pole. [3]

.....

(b) Find the exact value of the area of the region bounded by C and the initial line. [5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

© UCLES 2023

.....

.....

.....

.....

.....

(c) Show that, at the point on C furthest from the initial line,

$$1 - e^{\theta - \frac{1}{2}\pi} - \tan\theta = 0$$

and verify that this equation has a root between 0.56 and 0.57. [5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

BLANK PAGE

© UCLES 2023

7 The curve C has equation $y = \mathrm{f}(x)$, where $\mathrm{f}(x) = \dfrac{x^2}{x+1}$.

(a) Find the equations of the asymptotes of C. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Find the coordinates of any stationary points on C. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) Sketch C. [3]

(d) Find the coordinates of any stationary points on the curve with equation $y = \frac{1}{\mathrm{f}(x)}$. [2]

.....

.....

.....

.....

.....

.....

.....

.....

© UCLES 2023

(e) Sketch the curve with equation $y = \frac{1}{\mathrm{f}(x)}$ and find, in exact form, the set of values for which $\frac{1}{\mathrm{f}(x)} > \mathrm{f}(x)$. [6]

.....

.....

.....

.....

.....

.....

Additional page

If you use the following page to complete the answer to any question, the question number must be clearly shown.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

© UCLES 2023