* 0000800000001 *

Cambridge Assessment International Education

Cambridge International AS & A Level

CANDIDATE NAME

CENTRE NUMBER

CANDIDATE NUMBER

* 0 5 7 5 7 4 9 4 8 5 *

FURTHER MATHEMATICS **9231/33**

Paper 3 Further Mechanics **October/November 2024**

1 hour 30 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.
- Where a numerical value for the acceleration due to gravity (g) is needed, use $10\,\text{m}\,\text{s}^{-2}$.

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [ ].

This document has **16** pages. Any blank pages are indicated.

© UCLES 2024

[Turn over

1 A particle P is projected with speed $u\,\text{m}\,\text{s}^{-1}$ at an angle $\tan^{-1}2$ above the horizontal from a point O on a horizontal plane and moves freely under gravity. When P has travelled a distance 56 m horizontally from O, it is at a vertical height H m above the plane. When P has travelled a distance 84 m horizontally from O, it is at a vertical height $\frac{1}{2}H$ m above the plane.

Find, in either order, the value of u and the value of H. [5]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

2 A particle P of mass m is attached to one end of a light inextensible string of length a. The other end of the string is attached to a fixed point O. The particle P is held at the point A with the string taut. It is given that OA makes an angle θ with the downward vertical through O, where $\tan\theta = \frac{3}{4}$. The particle P is projected perpendicular to OA in an upwards direction with speed $\sqrt{5ag}$, and it starts to move along a circular path in a vertical plane. When P is at the point B, where angle AOB is a right angle, the tension in the string is T.

Find T in terms of m and g. [5]

3 A particle P of mass m kg is attached to one end of a light elastic string of natural length 2 m and modulus of elasticity $2mg$ N. The other end of the string is attached to a fixed point O. The particle P hangs in equilibrium vertically below O. The particle P is pulled down vertically a distance d m below its equilibrium position and released from rest.


(a) Given that the particle just reaches O in the subsequent motion, find the value of d. [6]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

(b) Hence find the speed of P when it is 2 m below O. [2]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

4



An object is formed by removing a cylinder of radius $\frac{2}{3}a$ and height kh ($k < 1$) from a uniform solid cylinder of radius a and height h. The vertical axes of symmetry of the two cylinders coincide. The upper faces of the two cylinders are in the same plane as each other. The points A and B are the opposite ends of a diameter of the upper face of the object (see diagram).

(a) Find, in terms of h and k, the distance of the centre of mass of the object from AB. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS MARGIN

When the object is suspended from A, the angle between AB and the vertical is θ, where $\tan\theta = \frac{3}{2}$.

(b) Given that $h = \frac{8}{3}a$, find the possible values of k. [3]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

5 A particle P of mass 2 kg moving on a horizontal straight line has displacement x m from a fixed point O on the line and velocity v m s^{-1} at time t s. The only horizontal force acting on P is a variable force F N which can be expressed as a function of t. It is given that

$$\frac{v}{x} = \frac{3-t}{1+t}$$

and when $t = 0$, $x = 5$.


(a) Find an expression for x in terms of t. [4]

DO NOT WRITE IN THIS MARGIN

(b) Find the magnitude of F when $t = 3$. [3]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

6



A particle P of mass 0.05 kg is attached to one end of a light inextensible string of length 1 m. The other end of the string is attached to a fixed point O. A particle Q of mass 0.04 kg is attached to one end of a second light inextensible string. The other end of this string is attached to P.

The particle P moves in a horizontal circle of radius 0.8 m with angular speed ω rad s^{-1}. The particle Q moves in a horizontal circle of radius 1.4 m also with angular speed ω rad s^{-1}. The centres of the circles are vertically below O, and O, P and Q are always in the same vertical plane. The strings OP and PQ remain at constant angles α and β respectively to the vertical (see diagram).

(a) Find the tension in the string OP. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS MARGIN

(b) Find the value of ω. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) Find the value of β. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

7 A particle P is projected with speed u at an angle $\tan^{-1}\left(\frac{4}{3}\right)$ above the horizontal from a point O on a horizontal plane and moves freely under gravity. When P is moving horizontally, it strikes a smooth inclined plane at the point A. This plane is inclined to the horizontal at an angle α, and the line of greatest slope through A lies in the vertical plane through O and A.

As a result of the impact, P moves vertically upwards. The coefficient of restitution between P and the inclined plane is e.

(a) Show that $e\tan^2\alpha = 1$. [4]

DO NOT WRITE IN THIS MARGIN

In its subsequent motion, the greatest height reached by P above A is $\frac{3}{16}$ of the vertical height of A above the horizontal plane.

(b) Find the value of e. [6]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

Additional page

If you use the following page to complete the answer to any question, the question number must be clearly shown.

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

BLANK PAGE

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

BLANK PAGE

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.