* 0000800000001 *

Cambridge Assessment International Education

Cambridge International AS & A Level

CANDIDATE NAME

CENTRE NUMBER

CANDIDATE NUMBER

3110872291

COMPUTER SCIENCE **9618/12**

Paper 1 Theory Fundamentals **May/June 2025**

1 hour 30 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use an HB pencil for any diagrams, graphs or rough working.
- Calculators must **not** be used in this paper.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [ ].
- No marks will be awarded for using brand names of software packages or hardware.

This document has **16** pages. Any blank pages are indicated.

© UCLES 2025

[Turn over

1 (a) The table has six statements about the Von Neumann model for a computer system. Three of the statements are incorrect.

Statement number	Statement
1	The Program Counter (PC) stores the next instruction to be fetched from memory.
2	The Arithmetic and Logic Unit (ALU) performs mathematical and logical operations.
3	The Control Unit (CU) sends signals to other components on the data bus.
4	The Memory Data Register (MDR) transfers data to the memory address stored in the Memory Address Register (MAR).
5	The MAR stores an address from memory.
6	The Accumulator (ACC) stores the result of calculations.

Complete the table by writing the **three** incorrect statement numbers and the corrected statements.

Incorrect statement number	Corrected statement
.....	....
.....	....
.....	....

[3]

DO NOT WRITE IN THIS MARGIN DO NOT WRITE IN THIS MARGIN DO NOT WRITE IN THIS MARGIN DO NOT WRITE IN THIS MARGIN DO NOT WRITE IN THIS MARGIN

(b) Registers that are used in the Fetch-Execute (F-E) cycle include the PC, MAR, MDR and the ACC.

Identify **one** other register and describe its role in the Fetch-Execute (F-E) cycle.

Register .....

Role .....

.....

[2]

(c) Explain how an interrupt from an input device will be detected and handled in the F-E cycle.

.....

.....

.....

.....

.....

.....

.....

..... [4]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

2 **(a)** Convert the denary integer 558 into 12-bit binary and hexadecimal.

Binary .....

Hexadecimal .....
[2]

(b) **(i)** Convert the two's complement binary integer 11100010 into denary.

.....

.....

..... [1]

(ii) Write the smallest and the largest two's complement binary integers that can be represented in 8 bits.

Smallest .....

Largest .....
[2]

(c) Give **one** application where Binary Coded Decimal (BCD) is used and justify its use.

Application .....

Justification .....

.....
[2]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

3 A computer program uses a digital camera to read the words on an item.

The program can read the words that are written on the item, translate the words to a chosen language and then output the words as audio. For example, when used in a supermarket, the program can output the words written on the labels on products.

The program uses Artificial Intelligence (AI).

(a) Explain how AI is used in the computer program described.

.....

.....

.....

.....

.....

.....

.....

..... [4]

(b) State **two** social benefits of the use of AI in the computer program described.

1 .....

.....

.....

2 .....

.....

.....

[2]

(c) The computer program is released under a commercial software licence.

(i) Describe the features of a commercial software licence.

.....

.....

.....

.....

.....

..... [3]

(ii) Explain the reasons why an open source software licence might **not** be appropriate for the computer program described.

.....

.....


.....

.....

.....

..... [3]

4 **(a)** Write the logic expressions for the following logic circuit.



X = ...

Y = ...

[2]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

(b) Complete the truth table for the logic expression:

X = NOT (**A** AND (**B** XOR **C**))

A	B	C	Working space	X
0	0	0		
0	0	1		
0	1	0		
0	1	1		
1	0	0		
1	0	1		
1	1	0		
1	1	1		

[2]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

5 An online game has a database that stores data about users and the characters each user creates in the game. Each user can create multiple characters and purchase multiple items for each character.

The normalised database has the following design:

```
USER(Username, Password, DateOfBirth)

CHARACTER(CharacterName, CharacterID, Username, Level, Money)

ITEM(ItemName, MinimumLevel, Cost)

CHARACTER_ITEM(CharacterID, ItemName)
```

(a) Explain the purpose of the table `CHARACTER_ITEM` in the database.

.....

.....

.....

..... [2]

(b) Underline the attribute, or attributes, that form the primary key in each of the tables.

```
USER(Username, Password, DateOfBirth)

CHARACTER(CharacterName, CharacterID, Username, Level, Money)

ITEM(ItemName, MinimumLevel, Cost)

CHARACTER_ITEM(CharacterID, ItemName)
```

[2]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

(c) A Database Management System (DBMS) provides data security.

(i) Identify **two** methods the DBMS can use to protect the data in the table `USER` from unauthorised access.

Explain how each method protects the data.

Method 1 .....

Explanation .....

.....

.....

Method 2 .....

Explanation .....

.....

.....

[4]

(ii) The DBMS also supports data integrity.

Give **two** ways that a DBMS can support data integrity.

1 .....

.....

2 .....

.....

[2]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

(d) (i) Write a Structured Query Language (SQL) script to count the number of items purchased by the user with the username `"KAT123"`.

.....

.....

.....

.....

.....

.....

..... [3]

(ii) The following changes need to be made to the character with the ID `"0002"`:

- level changed to `3`
- money changed to `10000.00`

Write an SQL script to change the character's data.

.....

.....

.....

.....

.....

..... [3]

DO NOT WRITE IN THIS MARGIN

6 A company has multiple sites in different cities.
The company has drivers who deliver products to customers. Each driver can connect to the company's WAN (Wide Area Network) whilst out of the office using a smartphone.

(a) State **two** ways that a WAN is different to a LAN (Local Area Network).

1 .....

.....

2 .....

.....

[2]

(b) The smartphones use the cell phone network to connect to the WAN.

Explain how data is transmitted using the cell phone network.

.....

.....

.....

.....

.....

.....

.....

..... [4]

(c) Devices that connect to the WAN have an IP address.

Complete the following description of IP addresses by writing the missing words.

IPv4 is displayed as four groups of 8-bit numbers separated by ..... .

Each IPv4 address is 32 bits.

IPv6 is made of eight groups of 4 ..... numbers separated by colons.

Multiple consecutive groups of ..... can be replaced with a double colon.

Each IPv6 address is ..... bits.

A ..... IP address can change each time the computer connects to a network.

A ..... IP address can only be accessed by other devices in the same LAN and is assigned by the router within the LAN.

[6]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

(d) The main office for the company has four wired computers, one server, two printers, one central switch and a device providing a single point of access for the internet. The network is set up as a star topology.

Draw the topology for the main office network. Label all devices.

[4]

(e) Describe the role of a switch in a network.

.....

.....

.....

.....

.....

..... [3]

DO NOT WRITE IN THIS MARGIN

BLANK PAGE

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

7 **(a)** The following table shows part of the instruction set for a processor. The processor has one register: the Accumulator (ACC).

Instruction		Explanation
Opcode	**Operand**	
LDD	<address>	Direct addressing. Load the contents of the location at the given address to ACC
LDM	#n	Immediate addressing. Load the number n to ACC
STO	<address>	Store the contents of ACC at the given address
ADD	#n/Bn/&n	Add the number n to the ACC
ADD	<address>	Add the contents of the given address to the ACC
INC	<register>	Add 1 to the contents of the register (ACC)
CMP	<address>	Compare the contents of ACC with the contents of <address>
CMP	#n	Compare the contents of ACC with number n
JPE	<address>	Following a compare instruction, jump to <address> if the compare was True
JMP	<address>	Jump to the given address
END		Return control to the operating system

ACC denotes Accumulator
<address> can be an absolute or a symbolic address
# denotes a denary number, e.g. #123
B denotes a binary number, e.g. B01001010
& denotes a hexadecimal number, e.g. &4A

The current contents of memory are:

Address	Instruction
10	12
11	11
12	10
13	22
14	22
…	
100	LDD 10
101	ADD 12
102	STO 11
103	CMP 14
104	JPE 107
105	INC ACC
106	JMP 101
107	STO 10
108	END

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

(i) Trace the program currently in memory using the following trace table.

Instruction address	ACC	Memory address				
		10	11	12	13	14
		12	11	10	22	22

[3]

(ii) State the effect of changing instruction `LDD 10` in address 100 to `LDM #10`

.....

.....

..... [1]

(iii) Identify **and** describe **one** mode of addressing **not** given in the table of instructions in part **(a)**.

Mode of addressing .....

Description .....

.....

.....

[2]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

(b) The table shows part of the instruction set for a processor. The processor has one register: the Accumulator (ACC).

Instruction		Explanation
Opcode	**Operand**	
AND	#n/Bn/&n	Bitwise AND operation of the contents of ACC with the operand
AND	<address>	Bitwise AND operation of the contents of ACC with the contents of <address>
XOR	#n/Bn/&n	Bitwise XOR operation of the contents of ACC with the operand
XOR	<address>	Bitwise XOR operation of the contents of ACC with the contents of <address>
OR	#n/Bn/&n	Bitwise OR operation of the contents of ACC with the operand
OR	<address>	Bitwise OR operation of the contents of ACC with the contents of <address>
<address> can be an absolute or symbolic address # denotes a denary number, e.g. #123 B denotes a binary number, e.g. B01001010 & denotes a hexadecimal number, e.g. &4A		

(i) The ACC currently contains the following binary value.

1	1	1	1	0	0	0	0

Write the result after the instruction `OR B00001111` is run.

[1]

(ii) The ACC currently contains the following binary value.

0	0	0	1	1	1	0	1

Write the result after the instruction `XOR #30` is run.

[1]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

DO NOT WRITE IN THIS MARGIN DO NOT WRITE IN THIS MARGIN DO NOT WRITE IN THIS MARGIN DO NOT WRITE IN THIS MARGIN DO NOT WRITE IN THIS MARGIN