CAMBRIDGE
International Education

Cambridge International AS & A Level

CHEMISTRY **9701/31**

Paper 3 Advanced Practical Skills 1 **October/November 2025**

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

© Cambridge University Press & Assessment 2025

PUBLISHED

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

© Cambridge University Press & Assessment 2025

GENERIC MARKING PRINCIPLE 5: Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).
GENERIC MARKING PRINCIPLE 6: Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1	Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
2	The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
3	Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
4	The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
5	<u>'List rule' guidance</u> For questions that require ***n*** responses (e.g. State **two** reasons …): • The response should be read as continuous prose, even when numbered answer spaces are provided. • Any response marked *ignore* in the mark scheme should not count towards ***n***. • Incorrect responses should not be awarded credit but will still count towards ***n***. • Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response. • Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

© Cambridge University Press & Assessment 2025

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

© Cambridge University Press & Assessment 2025

Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standard isation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

Annotations

Annotation	Meaning
	Correct point **or** mark awarded
	Incorrect point **or** mark not awarded
	Information missing or insufficient for credit
BOD	Benefit of the doubt given
CON	Contradiction in response otherwise markworthy, mark not given
DP	Error in number of decimal places
ECF	Error carried forward applied
I	Incorrect or insufficient point ignored while marking the rest of the response
RE	Rounding error
REP	Repeat error
SEEN or /	Blank page **or** part of script seen

© Cambridge University Press & Assessment 2025

Annotation	Meaning
SF	Error in number of significant figures
TE	Transcription error

© Cambridge University Press & Assessment 2025

Question	Answer	Marks
1(a)	**I** The following data are recorded: • two burette readings **AND** titre for the rough titration • initial and final burette readings for **two** (or more) accurate titrations	**1**
	II Titre values recorded for accurate titrations, **AND** Correct headings and units in the accurate titration table • initial / start **AND** (burette) reading / volume • final / end **AND** (burette) reading / volume • titre **OR** volume used/added/ **OR FA 2** used/added • unit: / cm^3 **OR** (cm^3) **OR** in cm^3 (for each heading) **OR** cm^3 unit given for each volume recorded.	**1**
	III All accurate burette readings recorded to 0.05 cm^3	**1**
	IV The final accurate titre recorded must be within 0.10 cm^3 of any other accurate titre	**1**
	Accuracy (Q) marks Round burette readings to the nearest 0.05 cm^3. Check and correct titre subtractions where necessary. Examiner selects the best mean titre, using the following hierarchy: • two (or more) accurate identical titres (ignoring any that are labelled 'rough'), *then* • two (or more) accurate titres within 0.05 cm^3, *then* • two(or more) accurate titres within 0.10 cm^3, *etc.* Calculate the candidate's mean titre value Calculate the supervisor's mean titre value Calculate the difference (δ) between the candidate's mean titre and the supervisor's mean titre	
	Award accuracy Q marks as follows: **V** Award if $\delta \leqslant 0.50$ cm^3 **VI** Award if $\delta \leqslant 0.30$ cm^3 **VII** Award if $\delta \leqslant 0.20$ cm^3	**3**

© Cambridge University Press & Assessment 2025

Question	Answer	Marks
1(b)	Correctly calculates mean titre to 2 dp • Candidate must take the average of two (or more) titres that are within a total spread of not more than 0.20 cm^3. • Working/explanation must be shown **OR** ticks must be put next to the two (or more) accurate readings selected. • The mean should be quoted to 2 dp and be rounded to nearest 0.01 cm^3. (*e.g. 26.675 cm^3 must be rounded to 26.68 cm^3*)	**1**
1(c)(i)	All answers to **(c)(ii)**, **(c)(iii)** and **(c)(iv)** to 3 − 4 sf	**1**
1(c)(ii)	Correctly calculates amount of manganate(VII) = 0.02 × volume in **(b)** / 1000 mol	**1**
1(c)(iii)	Correctly uses **M1** Amount of ethanedioic acid = **(c)(ii)** × 5 / 2 mol **M2** Concentration of **FA 1** = **(c)(ii)** × $^{5}/_{2}$ × $^{1000}/_{25}$ mol dm^{-3}	**2**
1(c)(iv)	Correctly uses M_r = 6.2(0) / **(c)(iii)**	**1**
1(c)(v)	(M_r – 90) / 18 **AND** correctly calculates answer as integer	**1**
1(d)	H^+ needed in the reaction / H^+ used in / appears in the equation	**1**

© Cambridge University Press & Assessment 2025

Question	Answer	Marks
2(a)	**I** Six correct headings with units in results space • (Mass) crucible + lid / g • (Mass) crucible + lid + **FA 4** / g • (Mass) crucible + lid + residue / contents after first heating / g • (Mass) crucible + lid + residue after second heating / g • (Mass) **FA 4** (used) / g • (Mass) residue / g Display of units: / g, (g), in g, in gram(me)s or in (column) heading covering all entries	**1**
	II Four readings in space provided • All four weighings recorded to same decimal places (either to two or to three) • Reading after 2nd heating within + 0.02 and − 0.05 of reading after 1st heating	**1**
	II Correct subtractions • Correct calculations of mass **FA 4** and residue **AND** • Mass of **FA 4** is between 2.90 and 3.40 g.	**1**
	IV and V Accuracy Theoretical value = 1.78 Calculate and record candidate's mass ratio = mass **FA 4** / mass of residue. Award **IV** if 1.51 ⩽ candidate's mass ratio ⩽ 2.05 Award **V** if 1.60 ⩽ candidates mass ratio ⩽ 1.96	**2**

© Cambridge University Press & Assessment 2025

Question	Answer	Marks
2(b)(i)	Correctly uses **M1** Amount $ZnSO_4$ = mass residue / 161.5 mol **AND** answer given to 2 – 4 sf Correctly calculates **M2** Amount H_2O = mass water lost / 18 mol **AND** answer given to 2–4 sf	**2**
2(b)(ii)	**M1** y = moles H_2O / moles $ZnSO_4$ **M2** Expression evaluated and y correctly calculated quoted as integer	**2**
2(c)	The (anhydrous ethanedioic) acid would decompose (on heating) / is flammable	**1**

© Cambridge University Press & Assessment 2025

<table>
<tr><th>Question</th><th>Answer</th><th>Marks</th></tr>
<tr><td colspan="3">FA 5 is $MgSO_4 \cdot 7H_2O$; FA 6 is $KMnO_4$; FA 7 is acidified $KMnO_4$(aq); FA 8 is $MnSO_4$ or $MnCl_2$; FA 9 is MnO_2</td></tr>
<tr><td>3(a)(i)</td><td>M1 Heat (solid FA 5)
AND
observe condensation, droplets, steam, water vapour

M2 Make an aqueous solution of FA 5 / dissolve in water to use for tests

M3 (To portion of the solution) add aqueous NH_3
AND
white ppt AND insoluble in excess NH_3

M4 (To portion of the solution) add aqueous barium chloride or barium nitrate
AND
white precipitate

M5 to distinguish sulfate / sulfite
(white precipitate from M4) insoluble in hydrochloric OR nitric acid
OR
$KMnO_4$ is not decolourised / remains purple (added after M4 or directly to FA 5 (aq))</td><td>5</td></tr>
<tr><td>3(a)(ii)</td><td><table><tr><td>Zn^{2+}</td><td>X</td></tr><tr><td>SO_4^{2-}</td><td>✓</td></tr><tr><td>H_2O</td><td>✓</td></tr></table></td><td>1</td></tr>
<tr><td>3(b)(i)</td><td>• (FA 6) starting colour purple
• solid jumps / moves around
• black residue
• test with glowing splint
• splint relights / glows more brightly</td><td>2</td></tr>
<tr><td>3(b)(ii)</td><td>(dark) Green</td><td>1</td></tr>
</table>

© Cambridge University Press & Assessment 2025

<table>
<tr><th>Question</th><th>Answer</th><th>Marks</th></tr>
<tr><td>3(c)(i)</td><td>'No change' 2 correct = *, 3 correct = **

2* = 1 mark

Max mark = 4

<table>
<tr><td rowspan="2">test</td><td colspan="3">observations</td></tr>
<tr><td>FA 7</td><td>FA 8</td><td>FA 9</td></tr>
<tr><td>Test 1
Add
hydrogen peroxide</td><td>Bubbles/ effervescence *

Purple / FA 7 (solution) to colourless (solution) *

(Gas / oxygen) relights glowing splint *</td><td>No change</td><td>Bubbles / effervescence *

(Gas/ oxygen) relights glowing splint *</td></tr>
<tr><td>Test 2
Add
sodium hydroxide, then</td><td></td><td>Off-white ppt*</td><td>No change</td></tr>
<tr><td>leave to stand</td><td></td><td>brown ppt on standing*</td><td></td></tr>
<tr><td>Test 3
Add aqueous iron(II) sulfate</td><td>Turns colourless / yellow OR colourless / yellow solution formed*</td><td>No change</td><td></td></tr>
</table>
</td><td>4</td></tr>
<tr><td>3(c)(ii)</td><td>manganese / Mn</td><td>1</td></tr>
</table>

© Cambridge University Press & Assessment 2025

Question	Answer	Marks
3(c)(iii)	<table><tr><th></th><th>FA 6 / FA 7</th><th>FA 8</th></tr><tr><td>oxidation state</td><td>(+)7</td><td>(+)2</td></tr></table>	1

© Cambridge University Press & Assessment 2025