Cambridge Assessment International Education

Cambridge International AS & A Level

CANDIDATE NAME

CENTRE NUMBER

CANDIDATE NUMBER

0784024032

MATHEMATICS **9709/33**

Paper 3 Pure Mathematics 3 **October/November 2025**

1 hour 50 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [ ].

This document has **20** pages.

© UCLES 2025

[Turn over

1 Solve the inequality $|3x+2| < 3|2x-1|$. [4]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

2 Find the quotient and the remainder when $3x^4 - 2x^2$ is divided by $x + 1$. [3]

3 Solve the equation $2^{3x-4} = \frac{3}{5^x}$. Give your answer in the form $\frac{\ln m}{\ln n}$, where m and n are integers. [4]

DO NOT WRITE IN THIS MARGIN

4 On an Argand diagram shade the region whose points represent complex numbers z which satisfy both the inequalities $|z+2\mathrm{i}| \leqslant 3$ and $|z+2\mathrm{i}| \leqslant |z-2+4\mathrm{i}|$. [5]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

5 **(a)** Show that $\cos 4x + 2\sin^2 x - 1 \equiv 8\sin^4 x - 6\sin^2 x$. [4]

DO NOT WRITE IN THIS MARGIN

(b) Hence solve the equation $\cos 4x + 2\sin^2 x - 1 = 0$ for $-180° \leqslant x \leqslant 180°$. [4]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

6 Find the exact value of $\int_0^{\frac{1}{6}\pi} x^2 \sin 2x \, \mathrm{d}x$. [6]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

7 Solve the equation $\frac{5z}{2-\mathrm{i}} - zz^* + 20 + 8\mathrm{i} = 0$. Give your answers in the form $x + \mathrm{i}y$, where x and y are real. [6]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

8 The curve with equation $y = e^{-5x} \ln 5x$ has a stationary point at $x = p$.

(a) Show that p satisfies the equation $\ln 5p = \frac{1}{5p}$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) By sketching a suitable pair of graphs, show that the equation in part **(a)** has only one root. [2]

DO NOT WRITE IN THIS MARGIN

(c) Show by calculation that $0.2 < p < 0.6$. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(d) It is given that the equation in part **(a)** can be written in the form $p = \frac{1}{5}\exp\left(\frac{1}{5p}\right)$, where $\exp(x)$ denotes e^x.

Use an iterative formula based on this rearrangement to calculate p correct to 2 decimal places. Give the result of each iteration to 4 decimal places. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS MARGIN

9 The line l_1 passes through the point (3, 1, −6) and is parallel to the vector $2\mathbf{i}+\mathbf{j}+4\mathbf{k}$.

The line l_2 passes through the point (−1, 3, −6) and is perpendicular to the vector $3\mathbf{i}-2\mathbf{j}+\mathbf{k}$. The direction vector for l_2 has no component in the x-direction.

(a) Write down a vector equation for l_1 and find a vector equation for l_2. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Calculate the acute angle between l_1 and l_2. [3]

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) Find the position vector of the point of intersection of l_1 and l_2. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

10 **(a)** Express $\frac{2}{1-9y^2}$ in partial fractions. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) The variables x and y satisfy the differential equation

$$2\cos^2 3x\frac{\mathrm{d}y}{\mathrm{d}x} = 1-9y^2,$$

and $y = 0$ when $x = \frac{1}{12}\pi$.

Solve the differential equation and obtain an expression for y in terms of x. [6]

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

11



The diagram shows the graph of $y = \sec^2 x\sqrt{3+2\tan x}$ for $-\frac{1}{4}\pi \leqslant x \leqslant \frac{1}{4}\pi$, and its minimum point M.

(a) Find the x-coordinate of M. [6]

DO NOT WRITE IN THIS MARGIN DO NOT WRITE IN THIS MARGIN DO NOT WRITE IN THIS MARGIN DO NOT WRITE IN THIS MARGIN DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN

.....

.....

.....

.....

.....

.....

.....

.....

(b) Using the substitution $u = 3 + 2\tan x$, find the exact value of the area of the region bounded by the curve, the x-axis and the lines $x = -\frac{1}{4}\pi$ and $x = \frac{1}{4}\pi$. [6]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Additional page

If you use the following page to complete the answer to any question, the question number must be clearly shown.

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.