AQA

Please write clearly in block capitals.

Centre number | | | | | | Candidate number | | | | |

Surname _____

Forename(s) _____

Candidate signature _____

I declare this is my own work.

# GCSE PHYSICS

**H**

Higher Tier Paper 1

Time allowed: 1 hour 45 minutes

**Materials**

For this paper you must have:
- a ruler
- a scientific calculator
- the Physics Equations Sheet (enclosed).

**Instructions**
- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions in the spaces provided.
- Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

**Information**
- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

| For Examiner's Use | |
|---|---|
| Question | Mark |
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| **TOTAL** | |

*Do not write outside the box*

**There are no questions printed on this page**


**DO NOT WRITE ON THIS PAGE**
**ANSWER IN THE SPACES PROVIDED**

Answer **all** questions in the spaces provided.

*Do not write outside the box*

**0 1** **Figure 1** shows an electric car being recharged.

**Figure 1**




**0 1 . 1** The charging station applies a direct potential difference across the battery of the car.

What does 'direct potential difference' mean?

**[1 mark]**

**Question 1 continues on the next page**

*Do not write outside the box*

**0 1 . 2** Which equation links energy transferred ($E$), power ($P$) and time ($t$)?

**[1 mark]**

Tick (✓) **one** box.

energy transferred = $\frac{\text{power}}{\text{time}}$ ☐

energy transferred = $\frac{\text{time}}{\text{power}}$ ☐

energy transferred = power × time ☐

energy transferred = power$^2$ × time ☐

**0 1 . 3** The battery in the electric car can store 162 000 000 J of energy.

The charging station has a power output of 7200 W.

Calculate the time taken to fully recharge the battery from zero.

**[3 marks]**

Time taken = _____ s

*Do not write outside the box*

**0 1 . 4** Which equation links current ($I$), potential difference ($V$) and resistance ($R$)?

**[1 mark]**

Tick (✓) **one** box.

$I = V \times R$ ☐

$I = V^2 \times R$ ☐

$R = I \times V$ ☐

$V = I \times R$ ☐

**0 1 . 5** The potential difference across the battery is 480 V.

There is a current of 15 A in the circuit connecting the battery to the motor of the electric car.

Calculate the resistance of the motor.

**[3 marks]**

Resistance = _____ Ω

**Question 1 continues on the next page**

*Do not write outside the box*

**0 1 . 6** Different charging systems use different electrical currents.

- Charging system **A** has a current of 13 A.
- Charging system **B** has a current of 26 A.
- The potential difference of both charging systems is 230 V.

How does the time taken to recharge a battery using charging system **A** compare with the time taken using charging system **B**?

**[1 mark]**

Tick (✓) **one** box.

Time taken using system **A** is half the time of system **B** ☐

Time taken using system **A** is the same as system **B** ☐

Time taken using system **A** is double the time of system **B** ☐

**10**

*Do not write outside the box*

**Turn over for the next question**

**DO NOT WRITE ON THIS PAGE**
**ANSWER IN THE SPACES PROVIDED**

*Do not write outside the box*

**0 2** Energy from the Sun is released by nuclear fusion.

**0 2 . 1** Complete the sentences.

**[2 marks]**

Nuclear fusion is the joining together of _____.

During nuclear fusion the total mass of the particles _____.

**0 2 . 2** Nuclear fusion of deuterium is difficult to achieve on Earth because of the high temperature needed.

Electricity is used to increase the temperature of 4.0 g of deuterium by 50 000 000 °C.

specific heat capacity of deuterium = 5200 J/kg °C

Calculate the energy needed to increase the temperature of the deuterium by 50 000 000 °C.

Use the Physics Equation Sheet.

**[3 marks]**

Energy = _____ J

*Do not write outside the box*

**0 2 . 3** The idea of obtaining power from nuclear fusion was investigated using models.

The models were tested before starting to build the first commercial nuclear fusion power station.

Suggest **two** reasons why models were tested.

**[2 marks]**

**1** _____

_____

_____

**2** _____

_____

_____

**0 2 . 4** Generating electricity using nuclear fusion will have fewer environmental effects than generating electricity using fossil fuels.

Explain **one** environmental effect of generating electricity using fossil fuels.

**[2 marks]**

_____

_____

_____

_____

_____

**9**

**Turn over for the next question**


*Do not write outside the box*

**0 3** Student **A** investigated how the current in resistor **R** at constant temperature varied with the potential difference across the resistor.

Student **A** recorded both positive and negative values of current.

**Figure 2** shows the circuit Student **A** used.

**Figure 2**




**0 3 . 1** Describe a method that Student **A** could use for this investigation.

**[6 marks]**

*Do not write outside the box*

**0 3 . 2** Student **B** repeated the investigation.

During Student **B**'s investigation the temperature of resistor **R** increased.

Explain how the increased temperature of resistor **R** would have affected Student **B**'s results.


**[2 marks]**

**Question 3 continues on the next page**

*Do not write outside the box*

**Figure 3** shows the scale on a moving coil ammeter at one time in the investigation.

**Figure 3**




**0 3 . 3** What is the resolution of the moving coil ammeter?

**[1 mark]**


Resolution = _____ A

*Do not write outside the box*

**0 3 . 4** Student **B** replaced the moving coil ammeter with a digital ammeter.

**Figure 4** shows the reading on the digital ammeter.

**Figure 4**




The digital ammeter has a higher resolution than the moving coil ammeter.

Give **one** other reason why it would have been better to use the digital ammeter throughout this investigation.

**[1 mark]**

_____

_____

_____

**10**

**Turn over for the next question**

*Do not write outside the box*

**0 4** A student investigated the density of different fruits.

**Table 1** shows the results.

**Table 1**

| Fruit | Density in g/cm$^3$ |
|---|---|
| Apple | 0.68 |
| Kiwi | 1.03 |
| Lemon | 0.95 |
| Lime | 1.05 |

**0 4 . 1** The student determined the volume of each fruit using a displacement can and a measuring cylinder.

What other piece of equipment would the student need to determine the density of each fruit?

**[1 mark]**

*Do not write outside the box*

**0 4 . 2** Write down the equation which links density ($\rho$), mass ($m$) and volume ($V$).

**[1 mark]**

**0 4 . 3** The mass of the apple was 85 g.

The density of the apple was 0.68 g/cm$^3$.

Calculate the volume of the apple.

Give your answer in cm$^3$.

**[3 marks]**

Volume = _____ cm$^3$

**0 4 . 4** The student only measured the volume of each fruit once.

The volume measurements **cannot** be used to show that the method to measure volume gives precise readings.

Give the reason why.

**[1 mark]**

**6**

Do not write outside the box

**0 5 . 1** During one year, $1.25 \times 10^{18}$ J of energy was transferred from the National Grid.

number of seconds in 1 year = $3.16 \times 10^{7}$

Calculate the mean energy transferred from the National Grid each second.

Give your answer to 3 significant figures.

**[2 marks]**


Energy each second (3 significant figures) = _____ J

**Figure 5** shows a house with a solar power system.

The solar cells generate electricity.

When the electricity generated by the solar cells is not needed, the energy is stored in a large battery.

**Figure 5**



*Do not write outside the box*

**0 5 . 2** The charge flow through the cable between the solar cells and the battery in 24 hours was 27 000 coulombs.

Calculate the mean current in the cable.

**[4 marks]**

Mean current = _____ A

**0 5 . 3** At one time, the total power input to the solar cells was 7.8 kW.

The efficiency of the solar cells was 0.15

Calculate the useful power output of the solar cells.

**[3 marks]**

Useful power output = _____ W

**Question 5 continues on the next page**

**0 5 . 4** It is unlikely that **all** of the electricity that the UK needs can be generated by solar power systems.

Explain why.

**[2 marks]**

*Do not write outside the box*

**11**

*Do not write outside the box*


**Turn over for the next question**

**DO NOT WRITE ON THIS PAGE**
**ANSWER IN THE SPACES PROVIDED**

*Do not write outside the box*

**0 6** **Figure 6** shows the mass number and the atomic number for the nuclei of five different atoms.

**Figure 6**




**0 6 . 1** How many neutrons are there in a nucleus of atom **A**?

**[1 mark]**

*Do not write outside the box*

**0 6 . 2** Which **two** atoms in **Figure 6** are the same element?

**[1 mark]**

Tick (✓) **one** box.

**A** and **B** ☐

**A** and **C** ☐

**C** and **D** ☐

**D** and **E** ☐

**Question 6 continues on the next page**


*Do not write outside the box*

**0 6 . 3** Nucleus **B** decays by emitting an alpha particle.

Draw an arrow on **Figure 7** to represent the alpha decay.

**[2 marks]**

**Figure 7**




**0 6 . 4** What is meant by the 'random nature of radioactive decay'?

**[1 mark]**

Do not write outside the box

**0 6 . 5** A polonium (Po) nucleus decays by emitting an alpha particle and forming a lead (Pb) nucleus.

$$Po \rightarrow Pb + \alpha$$

The lead (Pb) nucleus then decays by emitting a beta particle and forms a bismuth (Bi) nucleus.

$$Pb \rightarrow Bi + \beta$$

The bismuth (Bi) nucleus then decays by emitting a beta particle and forms a polonium (Po) nucleus.

$$Bi \rightarrow Po + \beta$$

Explain how these three decays result in a nucleus of the original element, polonium.

**[3 marks]**

8

**Turn over for the next question**

Do not write outside the box

**0 7** A student investigated how the current in a series circuit varied with the resistance of a variable resistor.

**Figure 8** shows the circuit used.

**Figure 8**






**Figure 9** shows the results.

**Figure 9**



*Do not write outside the box*

**0 7 . 1** The battery had a power output of 230 mW when the resistance of the variable resistor was 36 Ω.

Determine the potential difference across the battery.

**[4 marks]**

Potential difference = _____ V

**0 7 . 2** The student concluded:

'the current in the circuit was inversely proportional to the resistance of the variable resistor.'

Explain how **Figure 9** shows that the student is correct.


**[2 marks]**

**Question 7 continues on the next page**

Do not write outside the box

**0 7 . 3** **Figure 10** shows a circuit with a switch connected incorrectly.

**Figure 10**




Explain how closing the switch would affect the current in the variable resistor.

**[2 marks]**

8

*Do not write outside the box*


**Turn over for the next question**

**DO NOT WRITE ON THIS PAGE**
**ANSWER IN THE SPACES PROVIDED**

*Do not write outside the box*

**0 8** **Figure 11** shows a toy car in different positions on a racing track.

**Figure 11**




**0 8 . 1** The toy car and racing track can be modelled as a closed system.

Why can the toy car and racing track be considered 'a closed system'?

**[1 mark]**

Tick (✓) **one** box.

The racing track and the car both have gravitational potential energy. ☐

The racing track and the car are always in contact with each other. ☐

The total energy of the racing track and the car is constant. ☐

Do not write outside the box

**0 8 . 2** The car is released from rest at position **A** and accelerates due to gravity down the track to position **B**.

mass of toy car = 0.040 kg

vertical height between position **A** and position **B** = 90 cm

gravitational field strength = 9.8 N/kg

Calculate the maximum possible speed of the toy car when it reaches position **B**.

**[5 marks]**


Speed = _____ m/s

**Question 8 continues on the next page**

*Do not write outside the box*

**Figure 11** is repeated below.

**Figure 11**




**0 8 . 3** At position **C** the car's gravitational potential energy is 0.20 J greater than at position **B**.

How much kinetic energy does the car need at position **B** to complete the loop of the track?

Give a reason for your answer.

**[2 marks]**

Tick (✓) **one** box.

Less than 0.20 J ☐

Exactly 0.20 J ☐

More than 0.20 J ☐

Reason _____

_____

_____

8

*Do not write outside the box*

**Turn over for the next question**


**DO NOT WRITE ON THIS PAGE**
**ANSWER IN THE SPACES PROVIDED**

Do not write outside the box

**0 9** A teacher demonstrated the relationship between the pressure in a gas and the volume of the gas.

**Figure 12** shows the equipment used.

**Figure 12**




This is the method used.

1. Record the initial volume of gas in the syringe and the pressure reading before any weights are attached.
2. Attach a 2.0 N weight to the syringe.
3. Record the volume of the gas and the reading on the pressure gauge.
4. Repeat steps 2 and 3 until a weight of 12.0 N is attached to the syringe.

**0 9 . 1** What was the range of force used?

**[1 mark]**

From _____ N to _____ N

**0 9 . 2** Give **one** control variable in the investigation.

**[1 mark]**

_____

*Do not write outside the box*

**0 9 . 3** When the volume of gas in the syringe was 45 $cm^3$, the pressure gauge showed a value of 60 kPa.

Calculate the pressure in the gas when the volume of gas in the syringe was 40 $cm^3$.

**[4 marks]**

Pressure = _____ kPa

**0 9 . 4** When the volume of gas in the syringe increased, the pressure on the inside walls of the syringe decreased.

Explain why.

**[3 marks]**


**9**

**Turn over for the next question**

Do not write outside the box

**1 0** **Figure 13** shows some overhead power cables in the National Grid.

**Figure 13**



**1 0 . 1** Explain the advantage of transmitting electricity at a very high potential difference.

**[3 marks]**

*Do not write outside the box*

**1 0 . 2** It is dangerous for a person to fly a kite near an overhead power cable.

**Figure 14** shows a person flying a kite.

**Figure 14**



The person could receive a fatal electric shock if the kite was very close to, but not touching the power cable.

Explain why.

**[3 marks]**


**Question 10 continues on the next page**

*Do not write outside the box*

A scientist investigated how the potential difference needed for air to conduct charge varies with the distance between a cable and earth.

**Figure 15** shows the results.

**Figure 15**




**1 0 . 3** The data in **Figure 15** gives the relationship between potential difference and distance when the air is dry.

When the humidity of air increases the air becomes a better conductor of electricity.


Draw a line on **Figure 15** to show how the potential difference changes with distance if the humidity of the air increases.

**[2 marks]**

*Do not write outside the box*

**1 0 . 4** **Figure 16** shows a cross-section through a power cable.

**Figure 16**




A 1 metre length of a single aluminium wire is a better conductor than a 1 metre length of the steel wire.

The individual wires behave as if they are resistors connected in parallel.

Explain why the current in the steel wire is different to the current in a single aluminium wire.

**[2 marks]**

10

**Turn over for the next question**

Do not write outside the box


**1 1** A student investigated how the temperature of a lump of ice varied as the ice was heated.

The student recorded the temperature until the ice melted and then the water produced boiled.

**Figure 17** shows the student's results.

The power output of the heater was constant.

**Figure 17**




**1 1 . 1** The specific heat capacity of ice is less than the specific heat capacity of water.

Explain how **Figure 17** shows this.

**[2 marks]**

*Do not write outside the box*

**1 1 . 2** The specific latent heat of fusion of ice is less than the specific latent heat of vaporisation of water.

Explain how **Figure 17** shows this.

**[2 marks]**

**1 1 . 3** A second student did the same investigation and recorded the temperature until the water produced boiled.

In the second student's investigation more thermal energy was transferred to the surroundings.

Describe **two** ways the results of the experiment in **Figure 17** would have been different.

**[2 marks]**

1

2

**Question 11 continues on the next page**

*Do not write outside the box*

**1 1 . 4** When the water was boiling, 0.030 kg of water turned into steam.

The energy transferred to the water was 69 kJ.

Calculate the specific latent heat of vaporisation of water.

Give the unit.

**[5 marks]**

Specific latent heat of vaporisation = _____

Unit _____

**11**

**END OF QUESTIONS**

*Do not write outside the box*

**There are no questions printed on this page**

**DO NOT WRITE ON THIS PAGE**
**ANSWER IN THE SPACES PROVIDED**

*Do not write outside the box*

| Question number | **Additional page, if required.**<br>**Write the question numbers in the left-hand margin.** |
|---|---|
| | |

*Do not write outside the box*

| Question number | **Additional page, if required.**<br>**Write the question numbers in the left-hand margin.** |
|---|---|
| | |

*Do not write outside the box*

| Question number | **Additional page, if required.**<br>**Write the question numbers in the left-hand margin.** |
|---|---|
| | |
| | **Copyright information**<br><br>For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.<br><br>Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.<br><br>Copyright © 2021 AQA and its licensors. All rights reserved. |