UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2011 question paper

for the guidance of teachers

0580 MATHEMATICS

0580/21 Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

UNIVERSITY of CAMBRIDGE
International Examinations

Abbreviations

cao correct answer only
cso correct solution only
dep dependent
ft follow through after error
isw ignore subsequent working
oe or equivalent
SC Special Case
www without wrong working

Qu.	Answers	Mark	Part Mark
1	847	**1**	
2	correct regions shaded	**1, 1**	
3	48	**2**	**B1** for 3 **and** 16 seen
4	**(a)** 10 **(b)** 5.5 oe	**1** **1**	
5	**(a)** 86400 **(b)** 8.64×10^4	**1** **1ft**	
6	108	**2**	**M1** for 3^3 or 27 or $\left(\frac{1}{3}\right)^3$ or $\frac{1}{27}$ seen
7	13	**3**	**B1** for 12, 5 seen **M1** for (their 12)^2 + (their 5)^2 or **M2** $\sqrt{[(-8-4)^2 + (1-6)^2]}$ oe or **M1** if $\sqrt{}$ missing
8	6.70	**3**	**M1** for (r^3 =) $1260 \times \frac{3}{4\pi}$ oe seen **M1** for $\sqrt[3]{}$ of their r^3 seen or implied
9	22.5 oe	**3**	**B2** $180 = 5x + 2x + x$ oe or better **B1** for $2x$ or $6x$ marked in the correct place on the diagram.
10	$x = 13$ $y = -9$	**3**	**M1** for consistent multiplication and addition/subtraction **A1** for $x = 13$ or **A1** for $y = -9$
11	**(a)** 85.8 **(b)** 456.8625 cao	**2** **1**	**M1** for 23.25 and 19.65 seen
12	**(a)** (0)8(.)01 (am) **(b)** 78.4 or 78.38 to 78.39	**1** **3**	Not 8.01pm **M2** for 827 ÷ 10.55 or **M1** for figs 827 ÷ their time
13	**(a)** 0.54 **(b)** 1.61	**2** **2**	**M1** for $\frac{2.7 \times 20\,000}{10\,0000}$ oe or **SC1** for figs 54 in answer **SC1** for figs 161 or **M1** 200^2 or $20\,000^2$ seen

© University of Cambridge International Examinations 2011

14	–2.64, 1.14 cao with working	**4**	**B1** for $\sqrt{3^2 - 4(2)(-6)}$ or better seen anywhere **B1** for $p = -3$ **and** $r = 2 \times 2$ or better as long as in the form $\frac{p+\sqrt{q}}{r}$ or $\frac{p-\sqrt{q}}{r}$ After **B0B0, SC1** for –2.637(45…) and 1.1 or 1.137(45…)
15	**(a)** 4 **(b) (i)** $\frac{12}{36}$ oe 0.333 **(ii)** $\frac{11}{36}$, 0.306 or 0.3055 to 0.3056 **(c)** $\frac{8}{15}$ oe 0.533(3…)	**1** **1** **1** **1**	
16	**(a)** Answer given **(b)** $k = (\pm)\sqrt{\frac{4A}{(4-\pi)}}$ or $2\sqrt{\frac{A}{(4-\pi)}}$	**2** **3**	**M1** $(A =)k^2 - \pi\left(\frac{k}{2}\right)^2$ **E1** $A = k^2 - \frac{\pi k^2}{4}$ correctly completed to $4A = 4k^2 - \pi k^2$ **M1** factorising (must contain a π) **M1** division (by coefficient of k^2) **M1** square root
17	**(a)** 66° **(b)** 33° **(c)** 123°	**2** **1** **2**	**M1** for 90° clearly identified as *A* **B1** for *OBA* or *OAB* = 57°
18	**(a) (i)** **-r + q** or **q** – **r** **(ii)** ½(3**q** – **r**) oe **(b)** correct working	**1** **1** **3**	Must be simplified **M1** for ***MX*** = ½ **r** + ¾ their (–**r + q**) **M1** using a different route for ***XS*** or ½ ***MS*** **E1** dep correct simplification and conclusion
19	**(a)** 480 **(b)** 9900 **(c)** 0.125 or $\frac{1}{8}$	**1** **3** **2**	 **M1** for attempt at area under graph **M1** for 0.5 × 15 × (their **(a)** + 14 × 60) oe or 0.5 × 15 × (8 + 14) oe **M1** for numerical vertical/horizontal or numerical use of v = u + at but t ≤ 120 or t ≤ 2
20	**(a) (i)** 9 **(ii)** $8x^3$ cao **(b)** 4 **www** **(c)** $\frac{x+3}{2}$	**1** **1** **3** **2**	 **M1** for $(2x - 3)^3 = 125$ **M1** $2x - 3 = 5$ **M1** for $x \pm 3 = 2y$ or $x = \frac{y \pm 3}{2}$

© University of Cambridge International Examinations 2011