CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the May/June 2015 series

0580 MATHEMATICS

0580/41 Paper 4 (Paper 4 – Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

CAMBRIDGE
International Examinations

Abbreviations

cao correct answer only
dep dependent
FT follow through after error
isw ignore subsequent working
oe or equivalent
SC Special Case
nfww not from wrong working
soi seen or implied

Question	Answers	Mark	Part Marks
1 (a) (i)	$\frac{13}{13+8+3} \times 12000$ with no subsequent errors	1	
(ii)	4000	1	
(b)	$2 \times 6500 + 5 \times$ *their* **(a)(ii)** + $(12000 - 6500 -$ *their* **(a)(ii)**$)$ or $(13 \times 2 + 8 \times 5 + 3 \times 1) \times 500$	2	**B1** for any two of 2×6500, $5 \times$ *their* **(a)(ii)**, $(12000 - 6500 -$ *their* **(a)(ii)**$)$ seen or $13 \times 2 + 8 \times 5 + 3 \times 1$
(c)	37 500	3	**M2** for $\frac{34500}{100-8} \times 100$ oe or **M1** for 34500 associated with (100 – 8)%
(d)	$\frac{11}{26}$ cao	2	**M1** for any correct simplified version of $\frac{2750}{6500}$
(e)	89 500	1	
2 (a)	1.5 1.25 –0.75 0.5	4	**B1** for each
(b)	Fully correct curve	5	**B5** for correct curve over full domain or **B3 FT** for 11 or 12 points or **B2 FT** for 9 or 10 points or **B1 FT** for 7 or 8 points **and** **B1** independent for one complete branch on each side of the *y*-axis and **not touching** or crossing the *y*-axis **SC4** for correct curve with branches joined

© Cambridge International Examinations 2015

Question	Answers	Mark	Part Marks
(c)	−1.35 to −1.25	1	
	–0.27 to –0.251	1	
	1.51 to 1.55	1	
(d)	$k < 1.2$ or 1.15 to 1.25	2	**SC1** for 1.15 to 1.25 seen or horizontal line drawn at min point
(e)	tangent ruled at $x = -1$	B1	No daylight at $x = -1$ Consider point of contact as midpoint between two vertices of daylight, the midpoint must be between $x = -1.1$ and -0.9
	−1.7 to −1.3	2	**dep on B1** or a close attempt at tangent at $x = -1$ **or** **M1** for rise/run **also dep on** any tangent drawn or close attempt at tangent at any point. Must see correct or implied calculation from a drawn tangent
3 (a) (i)	image at (1, 4) (1, 5) (2, 5) (4, 4)	2	**SC1** for translation by $\begin{pmatrix} -1 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 3 \end{pmatrix}$ or 4 correct vertices plotted but not joined
(ii)	image at (–2, –1) (–5, –1) (–2, –2) (–3, –2)	2	**SC1** for correct size and orientation, wrong position or 4 correct vertices plotted but not joined
(iii)	image at (2, –1) (2, –2) (3 ,–2) (5, –1)	3	**B2** for 3 correct vertices plotted or if no / wrong plots allow **SC2** for 4 correct coordinates in column matrix or shown in working or **SC1** for any 3 correct coordinates or **M1** for $\begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix}\begin{pmatrix} 2 & 2 & 3 & 5 \\ 1 & 2 & 2 & 1 \end{pmatrix}$ oe
(b)	enlargement	B1	
	[centre] (1, 0)	B1	not as column vector
	[scale factor] − 3	B1	
(c)	$\begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix}$	2	**B1** for one correct row or column or $\begin{pmatrix} 0 & 1 \\ -1 & 0 \end{pmatrix}$

© Cambridge International Examinations 2015

Question	Answers	Mark	Part Marks
4 (a)	5	**1**	
(b)	$C \cap M$ oe	**1**	Allow e.g. $(B \cap C \cap M) \cup (C \cap M)$
(c)	3	**1**	
(d) (i)	$\frac{8}{30}$ oe	**1**	0.267 or better
(ii)	$\frac{14}{30}$ oe	**1**	0.467 or better
(e)	$\frac{30}{272}$ oe	**3**	**M2** for $\frac{6}{17} \times \frac{5}{16}$ or **M1** for $\frac{6}{17}$ seen 0.110[2…] or better
5 (a) (i)	10.6 or 10.59...	**2**	**M1** for tan = $\frac{55}{294}$ oe
(ii)	175 or 174.9[…] to 175.[1…]	**4**	**M2** for [adj =] $\frac{55}{\tan 24.8}$ oe or **M1** for implicit version **and** **M1** dep on at least **M1** for 294 – *their* adj
(b) (i)	4.9 or 4.89 to 4.9	**4**	**M3** for $\sqrt{4^2 + \left(\frac{1}{2}\sqrt{4.8^2 + 3^2}\right)^2}$ or **M2** for $\frac{1}{2}\sqrt{4.8^2 + 3^2}$ or **M1** for $\sqrt{4.8^2 + 3^2}$ or $2.4^2 + 1.5^2$
(ii)	54.7 or 54.71 to 54.722	**2**	**M1** for sin = $\frac{4}{\textit{their}\ 4.9}$


© Cambridge International Examinations 2015

6 (a) (i)	$24 < t \leqslant 30$	**1**	
(ii)	30.9 or 30.875 nfww	**4**	**M1** for midpoints **soi** (condone 1 error or omission) 5, 17, 27, 35, 50, 65 soi **M1** for use of $\sum fx$ with x in correct interval including both boundaries (condone 1 further error or omission) (50, 1530, 3645, 2975, 3500, 650) and **M1** (dep on 2nd **M1**) for $\sum fx \div 400$
(b) (i)	[10 100] 235 320 390 [400]	**2**	**B1** for any two correct **SC1** for 235, n, $n + 70$ $n > 235$
(ii)	Correct curve or polygon	**3**	**B1** for correct horizontal placement **B1FT** for correct vertical placement **B1FT dep on at least B1** for reasonable increasing curve or polygon through their 6 points If zero scored **SC1** for 5 out of 6 points correctly plotted
(c) (i)	27.5 to 29	**1**	
(ii)	12 to 14	**2**	**B1** for 36 to 38 or 24 seen
(iii)	18 to 20	**2**	**B1** for 60 seen or marked on grid
(iv)	30 to 45	**2**	**B1** for 355 to 370 seen

© Cambridge International Examinations 2015

7	**(a) (i)**	8.27 or 8.269... nfww	**4**	**M2** for $7.6^2 + 8.4^2 - 2 \times 7.6 \times 8.4 \times \cos(62)$ oe or **M1** for implicit form **A1** for $[PQ^2 =]$ 68.3 to 68.5
	(ii)	28.2 or 28.18..	**2**	**M1** for $0.5 \times 7.6 \times 8.4 \times \sin 62$ oe
	(b)	55.8 or 55.78 to 55.79 nfww	**5**	**B1** for $[HGJ] = 81$ **B1** for $[GHJ] = 61$ **M2** for $[GJ =] \frac{63}{\sin(their\ 81)} \times \sin(their\ 61)$ or **M1** for implicit form After **M0, SC1** for final answer of 68.1…
8	**(a)**	$5x = 75$ or $5x + 48 = 123$	**B2**	**M1** for $x + (x + 12) + 3(x + 12) = 123$ oe
		15	**B1**	
	(b)	6, 7	**3**	**B2** for answer of 6 or 7 OR **M1** for $t < 8$ **M1** for $t \geqslant \frac{37}{7}$ OR **SC2** for final answer of 5, 6, 7 or 6, 7, 8 or **SC1** for final answer of 5, 6, 7, 8
	(c) (i)	1.8 oe	**3**	**M1** for $21 - x = 4(x + 3)$ or better **B1** for $[\pm]5x = k$ or $kx = [\pm]9$
	(ii)	$\sqrt{7^2 - 4 \times 3 \times (-5)}$ or better nfww	**B1**	or for $\left(x + \frac{7}{6}\right)^2$
		and		
		$\frac{-7 + \sqrt{q}}{2(3)}$ or $\frac{-7 - \sqrt{q}}{2(3)}$ oe	**B1**	or for $-\frac{7}{6} \pm \sqrt{\frac{5}{3} + \left(\frac{7}{6}\right)^2}$
		– 2.91 and 0.57 final ans cao	**B1B1**	**SC1** for 0.6 or 0.573… **and** – 2.9 or – 2.907 or –2.906… or – 0.57 and 2.91 or 0.57 and – 2.91 seen in working

© Cambridge International Examinations 2015

9	**(a) (i)**	42	**2**	**B1** for $BAC = 90 - 48$
	(ii)	111	**2**	**B1** for 111 or 69 or $ACD = 27$ correctly placed on diagram or indicated
	(b) (i)	37.7 or 37.69 to 37.704 nfww	**2**	**M1** for $6\pi + 4\pi \pm 2\pi$ oe
	(ii)	12100, 12060, 12070, 12062.4 to 12065.6 nfww	**5**	**SC4** for answer with figs 121 or 1206 to 1207 **OR** **M2** for total area = $\frac{1}{2}\pi 6^2 + \frac{1}{2}\pi 4^2 - \frac{1}{2}\pi 2^2$ or $\frac{1}{2}\pi 60^2 + \frac{1}{2}\pi 40^2 - \frac{1}{2}\pi 20^2$ or **M1** for $\frac{1}{2}\pi 6^2$ or $\frac{1}{2}\pi 4^2$ or $\frac{1}{2}\pi 2^2$ or $\frac{1}{2}\pi 60^2$ or $\frac{1}{2}\pi 40^2$ or $\frac{1}{2}\pi 20^2$ **A1** for area = 75.39 to 75.41 or 7539 to 7541 **and** **M1 dep** for volume = *their* area × thickness
10	**(a)**	475 or 465 to 485	**2**	**B1** for 9.3 to 9.7 [cm] seen
	(b)	Correct perpendicular bisector with two pairs of intersecting arcs	**2**	**B1** for accurate with no/wrong arcs or **M1** for correct intersecting arcs
	(c)	Compass drawn arc centre *B* radius 5.8	**2**	**M1** for compass drawn arc centre *B* or **B1** for 5.8 cm stated or used
		Accurate angle bisector at *C* with correct intersecting arcs	**2**	**B1** for accurate with no/wrong arcs or **M1** for correct intersecting arcs
			**1**	cao

© Cambridge International Examinations 2015

11	**(a)**	$\frac{At}{t+r}$ final answer oe nfww	**4**	**B1** for $t(A-x) = xr$ or $tA - tx = xr$ or $A = \frac{xr}{t} + x$ **M1** for correctly completing multiplication by t (eliminating any bracket) and x terms isolated **M1** for correct factorisation **M1** dep for correct division
	(b)	$[a =]$ 64 $[b =]$ -8	**3**	**B1** for $2b = -16$ or $(x-8)^2$ **B1** for $a = (\text{their } b)^2$ If **0** scored, **SC1** for $x^2 + 2bx + b^2$ soi
	(c)	$\frac{13x+8}{(x-4)(3x-2)}$ final answer nfww	**3**	**B1** for $6(3x-2) - 5(x-4)$ or better seen **B1** for $(x-4)(3x-2)$ oe seen as denom or **SC2** for final answer $\frac{13x-32}{(x-4)(3x-2)}$

© Cambridge International Examinations 2015