CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the October/November 2014 series

0580 MATHEMATICS

0580/21 Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.


CAMBRIDGE
International Examinations

Abbreviations

cao correct answer only
dep dependent
FT follow through after error
isw ignore subsequent working
oe or equivalent
SC Special Case
nfww not from wrong working
soi seen or implied

Qu.	Answers	Mark	Part Marks
1	8.1722 cao	**2**	**B1** for 8.17 or 8.172 or 8.1721 or 8.17215…
2	3 3.14 π 3.142 $\frac{22}{7}$	**2**	**B1** for 3.141[5...] to 3.1416 **and** 3.1428 to 3.1429 or 3.143 seen or **SC1** for 4 in correct order
3 (a)	E B A cao	**1**	
(b)	Z cao	**1**	
4 (a)	–3	**1**	
(b)	4	**1FT**	FT their numerical mode
5	$\frac{3}{12}$ and $\frac{2}{12}$ $\frac{5}{12}$ cao	**M1** **A1**	Equivalent denominators can be used, working **must** be shown.
6 (a)	15.1 cao	**1**	
(b)	20 cao	**1**	
7	2.5[0] or 2.501… nfww	**3**	**M2** for $2.1\times\left(1+\frac{6}{100}\right)^3$ oe or **M1** for $2.1\times\left(1+\frac{6}{100}\right)^n$ oe where $n\geq 2$ or for figs $21\times\left(1+\frac{6}{100}\right)^3$ oe
8	0.29 cao	**3**	**M2** for $30-\left(24\times 1.2378\right)$ or $\left(24\times 1.2378\right)-30$ or **M1** for 24×1.2378
9 (a)	280	**1**	
(b)	5×10^6	**2**	**B1** for 5 000 000 oe or **B1** for answer $k\times 10^6$ or 5×10^k

© Cambridge International Examinations 2014

10	3.75 oe	**3**	**M2** for $3 \times 5 = 7x - 3x$ oe or **M1** for $3(x+5) = 7x$ or $x + 5 = \frac{7}{3}x$ or $1 + \frac{5}{x} = \frac{7}{3}$ or better
11 (a)	x^6	**1**	
(b)	$\frac{x^2}{3}$	**2**	**B1** for answer kx^2 or $\frac{x^k}{3}$ or $\frac{1}{3}$
12	$\begin{matrix}5\\-5\end{matrix}$ nfww	**3**	**M1** for correctly eliminating one variable **A1** for $x = 5$ **A1** for $y = -5$ If zero scored **SC1** for correct substitution and evaluation to find the other variable
13	[±] 8 nfww	**3**	**M1** for $y = k\sqrt{x+5}$ **A1** for k = [±] 2 or **M2** for $\frac{4}{\sqrt{-1+5}} = \frac{y}{\sqrt{11+5}}$ oe
14	$\begin{pmatrix}4 & 16\\2 & 8\end{pmatrix}$	**3**	**M2** for $\begin{pmatrix}12 & 48\\6 & 24\end{pmatrix}$ **and** $\begin{pmatrix}8 & 32\\4 & 16\end{pmatrix}$ or **M1** for $\begin{pmatrix}12 & 48\\6 & 24\end{pmatrix}$ **or** for $\begin{pmatrix}8 & 32\\4 & 16\end{pmatrix}$
15 (a) (i)		**2**	**B2** for correct ruled bisector with correct arcs or **B1** for correct bisector with no/incorrect arcs
(ii)		**2**	**B2** for correct ruled bisector with correct arcs or **B1** for correct bisector with no/incorrect arcs
(b)		**1**	correct shading
16	142 or 142.0…	**5**	**B1** for $CBD = 30$ **M2** for $[\sin D =] \frac{6 \times \sin theirB}{8}$ oe or **M1** for $\frac{6}{\sin D} = \frac{8}{\sin(their30)}$ oe **A1** for [D =] 22 or 22.0 or 22.02… **B1FT** for 90 + (*their*30 + *their*22) evaluated correctly for their final answer or for 360 – 90 – *theirBCD* evaluated correctly for their final answer

© Cambridge International Examinations 2014

17	890 or 890.1 to 890.2…	**5**	**M4** for $\frac{1}{2}\times\left(\frac{4}{3}\times\pi\times5^3\right)+\pi\times5^2\times8$ or **M3** for $\frac{1}{2}\times\left(\frac{4}{3}\times\pi\times5^3\right)$ and $\pi\times5^2\times8$ or **M2** for $\frac{1}{2}\times\left(\frac{4}{3}\times\pi\times5^3\right)$ or $\pi\times5^2\times8$ or **M1** for $\frac{4}{3}\times\pi\times5^3$
18 **(a)**	0.6 0.2 0.8 in correct places	**2**	**B1** for 0.6 in correct place **B1** for 0.2 and 0.8 in correct places
(b)	0.52 oe nfww	**3**	**M2FT** for 1 – (*their* 0.6 × *their* 0.8) oe or **M1FT** for a correct product from *their* tree in **(a)**
19 **(a)**	*CBA* and *BDA* are equilateral oe	**1**	
(b)	67[.0] or 67.02 to 67.03	**2**	**M1** for $\frac{120}{360}\times\pi\times8^2$ oe
(c) **(i)**	39.3 or 39.28 to 39.33	**3**	**M2FT** for $\textit{their}(\mathbf{b})-\frac{1}{2}\times8^2\times\sin120$ oe or **M1** for $\frac{1}{2}\times8^2\times\sin120$ oe
(ii)	78.6 or 78.7 or 78.56 to 78.66	**1FT**	**FT** 2 × *their***(c)(i)** correctly evaluated
20 **(a)**	0.4 or $\frac{2}{5}$	**2**	**B1** for [f(2) =] 4 or **M1** for $\frac{2}{(3x-2)+1}$ or better
(b)	–0.8 or $-\frac{4}{5}$	**2**	**M1** for $2=10(x+1)$ or better
(c)	$3x-6$ or $3(x-2)$ nfww	**3**	**M2** for $3(2x)-2-(3(x+2)-2)$ or **M1** for $[f(2x)=]3(2x)-2$ or $[f(x+2)]=3(x+2)-2$

© Cambridge International Examinations 2014