Cambridge International Examinations
Cambridge International General Certificate of Secondary Education

MATHEMATICS **0580/13**

Paper 1 (Core) **October/November 2016**

MARK SCHEME

Maximum Mark: 56

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

© UCLES 2016

Abbreviations

cao correct answer only
dep dependent
FT follow through after error
isw ignore subsequent working
oe or equivalent
SC Special Case
nfww not from wrong working
soi seen or implied

Question	Answer	Mark	Part marks
1	5 034	**1**	
2	–3	**1**	
3	36	**1**	
4	n^7 final answer	**1**	
5	947.5, 948.5	**2**	**B1** for either or both correct but reversed
6 (a)	2.47×10^6	**1**	
(b)	7.9×10^{-3}	**1**	
7	0.4^2 0.6^3 0.22 $\sqrt{0.09}$	**2**	**M1** for decimal conversion 0.216 and 0.3 and 0.16
8	Thursday	**2**	**M1** for 5.4 found or at least two of: 3.8, 3.6 and 4 found
9 (a)	*A*	**1**	
(b)	A ruled line joining (65, 23) to (80, 28)	**1**	
10	$\frac{18}{30}$ and $\frac{5}{30}$ oe must be shown	**M1**	$\frac{18k}{30k}$ and $\frac{5k}{30k}$
	$\frac{23}{30}$ cao	**A1**	
11	40	**2**	**M1** for $\frac{x}{16}=\frac{30}{12}$ or $\frac{x}{30}=\frac{16}{12}$ oe or 2.5 or 0.4 or 1.33[3…] or $\frac{16}{12}$
12 (a)	18.3	**1**	
(b)	128	**1**	

© UCLES 2016

Question	Answer	Mark	Part marks
13 (a)	172	**1**	
(b)	166	**2**	**M1** for an ordered list of at least 5 numbers or **B1** for 164 and 168 identified
14 (a)	0.6	**1**	
(b)	$\frac{12}{25}$	**2**	**B1** for $\frac{48}{100}$ or equivalent fraction
15 (a)	2644.32	**1**	
(b)	133.42	**2**	**M1** for 4200 ÷ 31.48
16 (a) (i)	$\frac{5}{12}$ oe	**1**	
(ii)	0	**1**	
(b)	[0].65 oe	**1**	
17	36	**3**	**M2** for 5 × 3 + 7.5 + 9.5 + 4 oe or **M1** for two of 5, 7.5, 9.5 and 4
18 (a)	$\begin{pmatrix}2\\1\end{pmatrix}$	**1**	
(b)	$\begin{pmatrix}2\\4\end{pmatrix}$	**1**	
(c)	(6, 10)	**1**	
19 (a)	30	**1**	
(b)	47.5	**2**	**M1** for 4.5 × 5 oe
20 (a)	68	**1**	
(b)	9	**2**	**M1** for 360 ÷ 40 oe or $\frac{180(n-2)}{n} = 140$ oe

© UCLES 2016

Question	Answer	Mark	Part marks
21 (a)	Three correct, ruled lines	**2**	**B1** for two correct lines
(b) (i)	Drawing a rectangle or rhombus	**1**	
(ii)	FT their quadrilateral in **(b)(i)**	**1**	
22 (a)	40.2 or 40.21 to 40.22	**2**	**M1** for $2 \times \pi \times 6.4$ oe
(b)	1540 or 1544 or 1544.1 to 1544.4	**2**	**M1** for $\pi \times 6.4^2 \times 12$
23	[x =] 5 [y =] –2	**4**	**M1** for correctly equating one set of coefficients **M1** for correct method to eliminate one variable **A1** for $x = 5$ **A1** for $y = -2$ If zero scored, **SC1** for 2 values satisfying one of the original equations. or **SC1** if no working shown, but 2 correct answers given

© UCLES 2016