Cambridge Assessment International Education
Cambridge International General Certificate of Secondary Education

ADDITIONAL MATHEMATICS **0606/22**

Paper 22 **March 2018**

MARK SCHEME

Maximum Mark: 80

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the March 2018 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is a registered trademark.

© UCLES 2018

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

© UCLES 2018

MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

Types of mark

M Method marks, awarded for a valid method applied to the problem.

A Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.


B Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation '**dep**' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

Abbreviations

awrt	answers which round to
cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
nfww	not from wrong working
oe	or equivalent
rot	rounded or truncated
SC	Special Case
soi	seen or implied


© UCLES 2018

Question	Answer	Marks	Partial Marks
1(a)	$(P \cup Q) \cap R'$ oe	**B1**	
1(b)(i)		**B3**	**B3, 2, 1, 0:** key statements: 2 correctly placed 3, 4, 8 correctly placed 1, 5, 7, 6, 10 correctly placed 9 correctly placed
1(b)(ii)	1	**B1**	**FT** *their* (b)(i); do not allow (1) or {1} etc.
2	$(2k-3)^2 - 4(3-2k)(1)$	**M1**	
	$4k^2 - 4k - 3$	**A1**	
	$(2k-3)(2k+1)$	**M1**	
	critical values are –0.5 and 1.5	**A1**	
	$(their(-0.5) < k < their1.5$	**A1**	**FT** *their* distinct critical values provided both M marks awarded; mark final answer; allow a pair of correctly connected inequalities e.g. $k > -0.5$ and $k < 1.5$
3(i)	${}^3P_2 \times {}^3P_1$ or $3 \times 2 \times 3$ oe soi	**M1**	
	18	**A1**	If **M0** then **SC1** for ${}^3P_2 \times {}^2P_1 = 12$ or $3 \times 2 \times 2 = 12$
3(ii)	24	**B1**	
3(iii)	$2 \times 4!$ oe soi	**M1**	
	48	**A1**	If **M0** then **SC1** for an answer following one omitted or incorrect factor/factorial e.g. 4! = 24 or ${}^4P_4 = 24$ or ${}^3P_3 \times 4 = 24$ or 2! × 3! = 12 or 2! × 4 = 8 or (2! × 3!) × 3 = 36
4(a)(i)	15	**B1**	
4(a)(ii)	180° or π (radians)	**B1**	
4(b)(i)	tan*x*, –tan*x*	**B2**	**B1** for each
4(b)(ii)	4	**B1**	

Question	Answer	Marks	Partial Marks
5	$\frac{104}{1.6}$ oe	**M1**	or e.g. $\frac{104}{\cos 17.354...} \div \sqrt{1.6^2 + 0.5^2}$
	65 or 64.9 to 65.1 (seconds)	**A1**	
	0.5 × *their* 65 oe	**M1**	or $\sqrt{\left(\frac{104}{\cos 17.354...}\right)^2 - 104^2}$ or finds a correct angle using trigonometry and then uses trigonometry again to find *BC* e.g. 104 × tan 17.354...
	32.5 or 32.49 to 32.6(metres)	**A1**	
6(i)	$\frac{d}{dx}\left(\tan\left(\frac{x}{3}\right)\right) = k\sec^2\left(\frac{x}{3}\right)$	**M1**	
	$\frac{1}{3}\sec^2\left(\frac{x}{3}\right)$ cao	**A1**	
6(ii)	$3\tan\left(\frac{x}{3}\right) + c$ oe	**B2**	**B1** for $3\tan\left(\frac{x}{3}\right) + 3$ or **M1** for $\int \textit{their}\frac{dy}{dx}dx = \tan\left(\frac{x}{3}\right) +$ a constant
7(i)	$\frac{1}{2} \times 8^2 \times \theta = 20$ or $\pi \times 8^2 \times \frac{\theta}{360} = 20$	**M1**	
	$[\theta =] \frac{5}{8}$ or 0.625 rads oe	**A1**	
7(ii)	8 × *their* θ oe	**M1**	
	5 (cm) cao	**A1**	
7(iii)	$\frac{1}{2} \times 8^2 \times 1.4$ and $\frac{1}{2} \times 8^2 \times \sin 1.4$ soi	**M2**	**M1** for either area seen
	13.3 or 13.26 to 13.27 [cm^2]	**A1**	
8(a)(i)	$3x + 4 = \ln\left(\frac{14}{5}\right)$ oe OR $3x + 4 = \ln 14 - \ln 5$ oe	**M1**	
	$x = -0.99(012\ldots)$ isw or exact equivalent	**A1**	

Question	Answer	Marks	Partial Marks
8(a)(ii)	$\lg(2y^2 - 7y) = \lg 3^2$ soi	**B2**	**B1** for each of 2 correct moves
	$2y^2 - 7y - 9 = 0$ and attempt to solve	**M1**	
	$y = 4.5$ oe only	**A1**	
8(b)	$\log_2\left(\frac{p}{q}\right)$ as final answer www	**B2**	**B1** for numerator correctly simplified to $\log_2 p - \log_2 q = \log_2\left(\frac{p}{q}\right)$ or change of base $\log_r 2 = \frac{1}{\log_2 r}$ oe soi
9(i)	$m_{PQ} = \frac{6-2}{11-8}$ or better	**M1**	
	$m_L = \frac{-1}{their\ \frac{4}{3}}$ oe	**M1**	
	$y - 2 = -\frac{3}{4}(x - 8)$ isw or $y = -\frac{3}{4}x + c \quad c = 8$ isw	**A1**	

Question	Answer	Marks	Partial Marks
9(ii)	$PQ^2 = (11-8)^2 + (6-2)^2$	**M1**	or attempts to solve $\frac{1}{2}\begin{vmatrix} 8 & 11 & x & 8 \\ 2 & 6 & -\frac{3}{4}x+8 & 2 \end{vmatrix} = [\pm]12.5$ oe or $\frac{1}{2}\begin{vmatrix} 8 & 11 & x & 8 \\ 2 & 6 & y & 2 \end{vmatrix} = [\pm]12.5$
	$PQ = 5$ soi	**A1**	or expands correctly $\frac{1}{2}\left(8(6)+11\left(-\frac{3}{4}x+8\right)+2x\right.$ $\left.-2(11)-6x-8\left(-\frac{3}{4}x+8\right)\right) = [\pm]12.5$ oe or $\frac{1}{2}(8(6)+11y+2x$ $-2(11)-6x-8y) = [\pm]12.5$ oe
	$PR = 5$ soi	**A1**	or simplifies to $\frac{1}{2}\left(-\frac{25}{4}x+50\right) = [\pm]12.5$ oe or $4x-3y=51$ or $3y-4x=-1$ oe
	Valid method of solution e.g. $R(8 \pm 4, 2 \mp 3)$ or attempts to solve *their* $y = -\frac{3}{4}x+8$ and $25 = (x-8)^2+(y-2)^2$ oe or attempts to solve e.g. $4x-3y=51 \quad 3x+4y=32$ oe	**M1**	
	(4, 5) (12, –1)	**A2**	**A1** for each or for $x = 4$, $x = 12$ or $y = 5$, $y = -1$
10(a)(i)	Valid comment referencing the graph e.g. the function f is not one to one, as shown by the fact that the graph has a turning point	**B1**	or equivalent statement or arrows marked on a diagram; must validly reference the graph in some way.
10(a)(ii)	$\sqrt{1+\left(\sqrt{1+x^2}\right)^2}$	**M1**	
	$\sqrt{2+x^2}$	**A1**	mark final answer; must be simplified as far as possible
10(b)(i)	Any value greater than or equal to 0	**B1**	
10(b)(ii)	Correct method for finding inverse	**M1**	
	$g^{-1}(x) = \sqrt{x^2-1}$	**A1**	mark final answer

Question	Answer	Marks	Partial Marks
10(c)	fully correct pair of graphs  	**B4**	**B1** for exponential shape of h; must cross y-axis **B1** for an attempt at the graph of h and (0, 6) soi **B1** for correct reflection of *their* h in the line $y = x$ or logarithmic shape of inverse **B1** for an attempt at the graph of h^{-1} and (6, 0) soi **Max 3 marks if not fully correct**
11(a)(i)	$(1-\sin A)(1+\sin A)$ $=1-\sin^2 A$ $=\cos^2 A$	**M1**	
	$\frac{\cos^2 A}{\sin A \cos A} = \frac{\cos A}{\sin A} (= \cot A)$	**A1**	
11(a)(ii)	$\frac{1}{\tan 3x} = \frac{1}{2}$ or better	**M1**	
	Any triple angle correct from 63.4(349…) 243.4(349…) 423.4(349…)	**M1**	
	21.1(4…) 81.1(4...) 141.1(4...)	**A2**	**A1** for 21.1(4...) and 81.1(4...) or for 141.1(4...)
11(b)	$10(\sec^2 y - 1) - \sec y - 1 \ (= 0)$ soi	**M1**	
	$(10\sec y - 11)(\sec y + 1)$ oe	**M1**	
	$\cos y = \frac{10}{11}$ $\cos y = -1$ nfww	**A1**	
	π, 0.43[0], 5.85	**A2**	**A1** for any one correct
12(i)	$\frac{dV}{dr} = 4\pi r^2$ soi	**B1**	
	$\frac{dr}{dt} = \frac{dr}{dV} \times \frac{dV}{dt}$ oe attempted	**M1**	
	$\frac{dr}{dt} = \frac{1}{their\, 4\pi(10)^2} \times 200$ soi	**M1**	
	0.159 isw or 0.1591(54…) rot to 4 or more figs	**A1**	

Question	Answer	Marks	Partial Marks
12(ii)	$\frac{dS}{dr} = 8\pi r$ soi	**B1**	
	$\frac{dS}{dt} = 8\pi(10) \times their 0.159$	**M1**	
	awrt 40	**A1**	following correct solution