Cambridge International Examinations
Cambridge International General Certificate of Secondary Education

CAMBRIDGE INTERNATIONAL MATHEMATICS **0607/43**

Paper 4 (Extended) **May/June 2016**

MARK SCHEME

Maximum Mark: 120

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2016 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

© UCLES 2016

Abbreviations

awrt answers which round to
cao correct answer only
dep dependent
FT follow through after error
isw ignore subsequent working
oe or equivalent
SC Special Case
nfww not from wrong working
soi seen or implied

Question	Answer	Mark	Part Marks
1 (a) (i)	13205.2	**1**	
(ii)	13200	**1**	
(iii)	13210	**1**	
(iv)	13205.173	**1**	
(b)	120	**1**	
2 (a)	$(3x+2)(x-4)$	**2**	**SC1** for $(3x+a)(x+b)$ where $ab = -8$ or $a+3b = -10$
(b)	$-\frac{2}{3} < x < 4$	**2FT**	**B1** for either correct
(c)	221.8 or 221.8… 318.2 or 318.18 to 318.19	**3**	**B2** for either correct or **M1** for $\sin x = their\left(-\frac{2}{3}\right)$ where $-1 < their\left(-\frac{2}{3}\right) < 1$ or **M1** for sketch or **M1** for 41.8 or –41.8 seen
3 (a)	62.5	**3**	**B1** for $y = k(x+1)^3$ **B1** for $k = 0.5$ OR **M2** for $\frac{y}{32} = \frac{(4+1)^3}{(3+1)^3}$
(b)	2	**2**	**B1FT** for $x+1 = \sqrt[3]{their\ 27}$
(c)	$x = \sqrt[3]{2y} - 1$ oe final answer	**3**	**M1** for division by *their k* **M1** for cube root **M1** for subtracting 1, must be final step

© Cambridge International Examinations 2016

Question	Answer	Mark	Part Marks
4 (a) (i)	$A = 4r^2 - \pi r^2$ oe final answer	**2**	**M1** for $ar^2 - b\pi r^2$
(ii)	30.9 or 30.88 to 30.90[…]	**1**	
(b)	$8r + 2\pi r$ oe final answer	**3**	**B1** for $8r$ oe **B1** for $2\pi r$ oe If **B0** scored then **M1** for $r + r + \frac{1}{4} \times 2\pi r$ oe
5 (a)	$0.5 \times 12.4 \times x \times \sin 30$ [= 34.1] oe	**1**	
(b)	6.21 or 6.205 to 6.206	**3**	**B2** for 38.50 to 38.51 or **M1** for $11^2 + 12.4^2 - 2 \times 11 \times 12.4 \times \cos 30$
(c)	62.3 or 62.4 or 62.33 to 62.41…	**3**	**M2** for $\sin A = \frac{11 \times \sin 30}{their 6.21}$ or $\cos A = \frac{12.4^2 + (their(b))^2 - 11^2}{2 \times 12.4 \times their(b)}$ or **M1** for $\frac{11}{\sin A} = \frac{their 6.21}{\sin 30}$ oe
(d)	6.2	**2**	**M1 for** $12.4 \times \sin 30$ oe
6 (a)	166 or 165.6 to 165.7	**2**	**M1** for correct use of mid-pts at least 4 of (150, 157.5, 162.5, 167.5, 172.5,182.5)
(b) (i)	2.6, 13.2, 16.4, 23.6, 16.4, 1.73	**2**	**B1** for 4 or 5 correct
(ii)	Suitable vertical scale Correct column widths Correct heights	**1** **1** **2FT dep**	**B1** for 4 or 5 correct **dep** on at least B1 in **(b)(i)**
7 (a)	90 000	**4**	**M3** for $1.05 \times 1.1 \times a = 103950$ or better **M2** for $\frac{103950}{1.05 \text{ or } 1.1}$ oe or **M2** for 1.05×1.1 **M1** for 103 950 = 105%
(b)	2028	**3**	**M2** for $1.05^n = \frac{200000}{103950}$ where $n > 1$ or **M1** for 103950×1.05^n where $n > 1$ If 0 scored **SC2** for 13.4 or 13.41… seen

© Cambridge International Examinations 2016

Question	Answer	Mark	Part Marks
8 (a)	$6\mathbf{p} - \mathbf{q}$	**2**	**B1** for $\overrightarrow{XD} = -\mathbf{q}$ or **M1** for $\overrightarrow{AD} = \overrightarrow{AX} + \overrightarrow{XD}$ oe
(b)	$3\mathbf{p} + \mathbf{q}$ oe	**2**	**M1** for $\overrightarrow{AC} = 9\mathbf{p}$ or $\overrightarrow{XC} = 3\mathbf{p}$ or correct route
(c)	$3\mathbf{p} - 2\mathbf{q}$ oe	**3**	**M1** for $\overrightarrow{BD}$ = *their* (a) **M1** for $\overrightarrow{CB} = \overrightarrow{CD} + \overrightarrow{DB}$ oe
9 (a)	[*QR* =] *P* [*PQR* =] *Q* [*ST* =] *Q* [*SQ* =] *T* [*PTP* =] *T* [*TPP* =] *S*	**6**	**B1** for each
(b) (i)	Points (2, 2) (2, 1) (5, 1)	**2**	**B1** for (2, 1) or (5, 1) correct
(ii)	Points (2, –2) (2, –1) (5, –1)	**1FT**	**FT** their *B* reflected in *x*-axis
(iii)	Rotation 90 [anticlockwise] oe [Centre] (0, 0) oe	**1** **1** **1**	
10 (a) (i)	Points correctly plotted	**3**	**B2** for 4 or 5 correct points **B1** for 2 or 3 correct points
(ii)	Positive	**1**	
(b) (i)	32.7	**1**	
(ii)	23.6	**1**	
(c) (i)	$[y =] -5.57 + 0.892x$	**2**	**B1** for $-5.57 + kx$, or **B1** for $a + 0.892x$, If 0 scored **SC1** for $-5.6 + 0.89x$
(ii)	21.2 or 21.19…	**1FT**	**FT** *their* (c)(i) using $x = 30$
(iii)	Outside range oe	**1**	

© Cambridge International Examinations 2016

Question	Answer	Mark	Part Marks
11 (a)	Correct sketch	**4**	**B1** Correct graph for $x > 3$ **B1** Correct graph for $x < 1$ **B1** Correct graph for $1 < x < 3$ **B1** Approximately correct intercepts
(b)	$x = 1$ $x = 3$ $y = 3$	**1** **1** **1**	
(c)	(2, 2)	**1**	
(d)	1.38, 2, 3.62	**3**	**B1** for each
12 (a)	18	**2**	**M1** for $4x + 6x = 180$
(b)	18	**2**	**M1** for $180 - 6x - 3x$
(c)	90	**3**	**M2** for $180 - 3x - x - x$ or **B1** for $CED = x$ or $DCE = 4x$
13 (a) (i)	4.71 or 1.5π or 4.712 to 4.713	**2**	**M1** for $\frac{60}{360} \times \pi \times 3^2$
(ii)	12.5 or $1.5\pi + 4.5\sqrt{3}$ oe or 12.50 to 12.51	**3**	**M2** for $0.5 \times 3 \times \frac{3}{\cos 60} \times \sin 60 + \textit{their}(\text{a})$ oe or **M1** for $\frac{3}{\cos 60}$
(iii)	31.4 or $7.5\pi + 4.5\sqrt{3}$ oe or 31.35 to 31.36	**3**	**B1** for hyp = 6 **M1** for $\frac{60}{360} \times \pi \times (\textit{their}6)^2$
(b)	263 or $31.5\pi + 94.5\sqrt{3}$ oe or 262.6 to 262.7	**4**	**M3** for $1.5\pi + 6\pi + 24\pi + 4.5 \times \sqrt{3} + 18 \times \sqrt{3} + 72 \times \sqrt{3}$ or **M1** for $1.5\pi + 6\pi + 24\pi$ **and M1** for $4.5 \times \sqrt{3} + 18 \times \sqrt{3} + 72 \times \sqrt{3}$ or **M1** for correct new triangle in diagram 4 or **M1** for correct new sector in diagram 5 or **M1** for correct new triangle in diagram 6

© Cambridge International Examinations 2016

Question	Answer	Mark	Part Marks
14 (a) (i)	$\left(\frac{x}{x+y}\right)^2$ oe final answer	2	**B1** for $\frac{x}{x+y}$
(ii)	$2\times\frac{xy}{(x+y)^2}$ oe final answer	3	**M2** for $\frac{x}{(x+y)}\times\frac{y}{(x+y)}$ oe or **B1** for $\frac{y}{x+y}$ seen
(b) (i)	$\frac{x(x-1)}{(x+y)(x+y-1)}$ oe final answer	3	**B2** for $\frac{x-1}{x+y-1}$ or **B1** for $x+y-1$ seen
(ii)	$2\times\frac{xy}{(x+y)(x+y-1)}$ oe final answer	3	**M2** for $\frac{x}{(x+y)}\times\frac{y}{(x+y-1)}$ oe or **B1** for $\frac{y}{x+y-1}$ seen

© Cambridge International Examinations 2016