CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the October/November 2015 series

0607 CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/62 Paper 6 (Extended), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

CAMBRIDGE
International Examinations

Abbreviations

cao correct answer only
dep dependent
FT follow through after error
isw ignore subsequent working
oe or equivalent
rot rounded or truncated
SC Special Case
nfww not from wrong working
soi seen or implied

A INVESTIGATION STARS

Question	Answer	Mark	Part Marks
1 (a)	$360 \div 7$ oe	**1**	
(b)	$[A =] \frac{360}{n}$ oe	**1**	
2 (a)	102.85… to 102.9 or 103	**2**	**M1** for $\frac{720}{7}$ oe
(b) (i)	3	**1**	
(ii)	3 revolutions oe **and** 7 angles oe	**1**	
(iii)	$\frac{4\times360}{7} > 180$ oe	**1**	
3	$\frac{2\times360}{5}$ or equivalent calculation	**1**	
4 (a)	3 | 1 | $\frac{1}{3}\times360$ | 120 5 | 2 | $\frac{2}{5}\times360$ | 144 7 | 3 | $\frac{3}{7}\times360$ | 154.3 9 | 4 | $\frac{4}{9}\times360$ | 160 11 | 5 | $\frac{5}{11}\times360$ | 163.6	**2**	**B1** for 5 correct cells
(b)	$[A =]\frac{360n}{2n+1}$ oe	**1**	

© Cambridge International Examinations 2015

Question	Answer	Mark	Part Marks
(c)	25	3	**B2** for [n=] 12 soi or **M1FT** for *their* $\frac{360n}{2n+1} = 172.8$ **C** opportunities
5 (a)	[1], 2, 3, 4, 5	2	Accept in suitable calculations e.g. $\frac{2}{11} \times 360$ Deduct 1 for extras and 1 for each omission If 0 scored **SC1** for 4 or 5 with no working
(b)	$\frac{6}{15} = \frac{2}{5}$ soi	1	
(c)	48, 96, 168 cao	2	**B1** for two correct values of A only or **B1** for three correct values plus extras less than 180° or **B1** for 2, 4 and 7 [revolutions] soi **C** opportunity
Communication seen in one of **4(c)** (two possible places) or **5(c)**		1	

© Cambridge International Examinations 2015

B MODELLING BODY MASS			
Question	**Answer**	**Mark**	**Part Marks**
1 (a)	80[kg]	**1**	
(b)	1.5[m] or 150cm	**1**	
(c)	[M =] $100h - 100$ oe seen	**1**	
(d)	Straight line with positive gradient	**1**	
	approx through (1.5, 50) and (2, 100)	**1**	**C** opportunity
2 (a)	$M = kh^2$ or $M \propto h^2$ $88 = k \times (2^2$ or 4)	**1** **1**	If 0 scored **SC1** for $88 = 22 \times 4$ oe **C** opportunity
(b)	22×1.5^2 [= 49.5] oe	**1**	
(c)	1.87[m] or 187cm	**1**	Condone 1.9[m] but not 190cm **C** opportunity
3 (a)	1.485 to 1.49 [m] or 148.5 to 149 cm	**1**	Condone 3.06 as a second answer
(b)	Simple $(100h - 100)$ **and** correct conclusion	 **1**	 **C** opportunity
4 (a)	$78 = k\ 1.84^n$ isw $50 = k\ 1.54^n$ isw	**1**	
(b)	$\frac{78}{50} = \frac{k1.84^n}{k1.54^n}$	**1**	
(c)	$\frac{\log 1.56}{\log 1.195}$ or $\log_{1.195} 1.56$	**1**	
(d)	17	**2**	**M1** for $78 = k \times 1.84^{2.5}$ or $50 = k \times 1.54^{2.5}$ or **B1** for 16.98 to 16.99 **C** opportunity
(e)	exponential curve	**1**	**C** opportunity
5	1.67[…] or 1.68 [m]	**1FT**	**FT** *their* 17 rot to at least 2dp **C** opportunity
Communication seen in four of **1(d)**, **2(a)**, **2(c)**, **3(a)**, **4(d)**, **4(e)** or **5**		**2**	**1** mark if seen in two

© Cambridge International Examinations 2015