UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CANDIDATE NAME	
CENTRE NUMBER	
CANDIDATE NUMBER	

5805031630

CHEMISTRY **0620/31**

Paper 3 (Extended) **October/November 2010**

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen.
You may use a pencil for any diagrams, graphs or rough working.
Do not use staples, paper clips, highlighters, glue or correction fluid.
DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.
A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.
The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
Total	

This document consists of **15** printed pages and **1** blank page.

© UCLES 2010

UNIVERSITY of CAMBRIDGE International Examinations

For Examiner's Use

1 The table gives the composition of three particles.

particle	number of protons	number of electrons	number of neutrons
A	15	15	16
B	15	18	16
C	15	15	17

(a) What is the evidence in the table for each of the following?

(i) Particle **A** is an atom.

.....

..... [1]

(ii) They are all particles of the same element.

.....

..... [1]

(iii) Particle **B** is a negative ion.

.....

..... [2]

(iv) Particles **A** and **C** are isotopes.

.....

..... [2]

(b) (i) What is the electronic structure of particle **A**?

..... [1]

(ii) What is the valency of the element?

..... [1]

(iii) Is the element a metal or a non-metal? Give a reason for your choice.

.....

..... [1]

[Total: 9]

© UCLES 2010

For Examiner's Use

2 About 4000 years ago the Bronze Age started in Britain. Bronze is an alloy of copper and tin.


(a) (i) Suggest a reason why a bronze axe was better than a copper axe.

..... [1]

(ii) Brass is another copper alloy. Name the other metal in brass.

..... [1]

(b) The diagram below shows the arrangement of particles in a pure metal.



(i) What is the name given to a regular arrangement of particles in a crystalline solid?

..... [1]

(ii) Draw a diagram which shows the arrangement of particles in an alloy.

[2]

(iii) Explain the term *malleable*.

..... [1]

(iv) Why are metals malleable?

.....

..... [2]

For Examiner's Use

(c) The common ore of tin is tin(IV) oxide and an ore of copper is malachite, $CuCO_3.Cu(OH)_2$.


(i) Write a word equation for the reduction of tin(IV) oxide by carbon.

..... [1]

(ii) Malachite is heated to form copper oxide and two other chemicals.
Name these chemicals.

..... and ..... [2]

(iii) Copper oxide is reduced to copper which is then refined by electrolysis.
Label the diagram of the apparatus which could be used to refine copper.



[3]

(iv) Give **one** use of copper, other than making alloys.


..... [1]

[Total: 15]

© UCLES 2010

For Examiner's Use

3 The diagram shows a cell. This is a device which produces electrical energy. The reaction in a cell is a redox reaction and involves electron transfer.



(i) Complete the sentence.

A cell will change ..... energy into electrical energy. [1]

(ii) Draw an arrow on the diagram to show the direction of the electron flow. [1]

(iii) In the left hand beaker, the colour changes from brown to colourless.
Complete the equation for the reaction.

$$Br_2 + \text{.....} \rightarrow \text{.....}$$

[2]

(iv) Is the change in **(iii)** oxidation or reduction? Give a reason for your choice.

.....

..... [1]

(v) Complete the following description of the reaction in the right hand beaker.

Fe^{2+} changes into ..... . [1]

(vi) When a solution of bromine is replaced by a solution of chlorine, the voltage increases. When a solution of bromine is replaced by a solution of iodine, the voltage decreases.
Suggest an explanation for this difference.

.....

..... [1]

[Total: 7]

© UCLES 2010

[Turn over

For Examiner's Use

4 Ammonia is an important industrial chemical.

(a) (i) Give the electron structure of an atom of nitrogen.

..... [1]

(ii) Use this electronic structure, rather than the valency of nitrogen, to explain why the formula of ammonia is NH_3 not NH_4.

.....

.....

..... [2]

(b) Ammonia is made by the Haber Process.

$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$ forward reaction is exothermic

The percentage of ammonia in the equilibrium mixture varies with conditions.

pressure / atmospheres	100	200	300	400
% ammonia at 300 °C	45	65	72	78
% ammonia at 500 °C	9	18	25	31

The conditions actually used are 200 atmospheres, 450 °C and an iron catalyst.

(i) The original catalyst was platinum. Suggest a reason why it was changed to iron.

..... [1]

(ii) Explain why the highest pressure gives the highest percentage of ammonia in the equilibrium mixture.

.....

..... [2]

(iii) What happens to the unreacted nitrogen and hydrogen?

.....

..... [1]

© UCLES 2010

For Examiner's Use

(iv) State **one** advantage and **one** disadvantage of using a lower temperature.

advantage .....

..... [1]

disadvantage .....

..... [1]

[Total: 9]

For Examiner's Use

5 Monomers polymerise to form polymers or macromolecules.

(a) (i) Explain the term *polymerise*.

.....

..... [1]


(ii) There are two types of polymerisation - addition and condensation. What is the difference between them?

.....

.....

..... [2]

(b) An important monomer is chloroethene which has the structural formula shown below.



It is made by the following method.

$$C_2H_4 + Cl_2 \rightarrow C_2H_4Cl_2 \text{ dichloroethane}$$

This is heated to make chloroethene.

$$C_2H_4Cl_2 \rightarrow C_2H_3Cl + HCl$$

(i) Ethene is made by cracking alkanes. Complete the equation for cracking dodecane.

$$C_{12}H_{26} \rightarrow \text{.....} + 2C_2H_4$$

[1]

Another method of making dichloroethane is from ethane.

$$C_2H_6 + 2Cl_2 \rightarrow C_2H_4Cl_2 + 2HCl$$

(ii) Suggest a reason why the method using ethene is preferred.

.....

..... [1]

(iii) Describe an industrial method of making chlorine.

.....

..... [2]

© UCLES 2010

For Examiner's Use

(iv) Draw the structural formula of poly(chloroethene).

Include three monomer units.

[2]

[Total: 9]

© UCLES 2010

[Turn over

For Examiner's Use

6 The table below shows the elements in the second period of the Periodic Table and some of their oxidation states in their most common compounds.

element	Li	Be	B	C	N	O	F	Ne
number of outer electrons	1	2	3	4	5	6	7	8
oxidation state	+1	+2	+3	+4	–3	–2	–1	0

(a) (i) What does it mean when the only oxidation state of an element is zero?

.....

..... [1]

(ii) Explain why some elements have positive oxidation states but others have negative ones.

.....

..... [2]

(iii) Select **two** elements in the table which exist as diatomic molecules of the type X_2.

..... [1]

(b) Beryllium hydroxide, a white solid, is an amphoteric hydroxide.

(i) Name another metal which has an amphoteric hydroxide.

..... [1]

(ii) Suggest what you would observe when an excess of aqueous sodium hydroxide is added gradually to aqueous beryllium sulfate.

.....

..... [2]

(c) (i) Give the formulae of lithium fluoride and nitrogen fluoride.

lithium fluoride .....

nitrogen fluoride ..... [2]

© UCLES 2010

(ii) Predict **two** differences in their properties.

.....

..... [2]

(iii) Explain why these two fluorides have different properties.

.....


..... [2]

[Total: 13]

© UCLES 2010

For Examiner's Use

7 The diagram shows part of the carbon cycle. This includes some of the processes which determine the percentage of carbon dioxide in the atmosphere.



(i) Carbon dioxide is one greenhouse gas. Name another one.

..... [1]

(ii) Explain the term *respiration* and how this process increases the percentage of carbon dioxide in the atmosphere.

.....

.....

..... [3]

(iii) Explain why the combustion of waste crop material should not alter the percentage of carbon dioxide in the atmosphere.

.....

..... [2]

(iv) In 1960 the percentage of carbon dioxide in the atmosphere was 0.032% and in 2008 it was 0.038%. Suggest an explanation for this increase.

.....

..... [2]

[Total: 8]

© UCLES 2010

For Examiner's Use

8 Soluble salts can be made using a base and an acid.

(a) Complete this method of preparing dry crystals of the soluble salt cobalt(II) chloride-6-water from the insoluble base cobalt(II) carbonate.

Step 1
Add an excess of cobalt(II) carbonate to hot dilute hydrochloric acid.

Step 2

.....

.....

Step 3

.....

.....

Step 4

.....

..... [4]

For Examiner's Use

(b) 6.0 g of cobalt(II) carbonate was added to 40 cm^3 of hydrochloric acid, concentration 2.0 mol / dm^3. Calculate the maximum yield of cobalt(II) chloride-6-water and show that the cobalt(II) carbonate was in excess.

$$CoCO_3 + 2HCl \rightarrow CoCl_2 + CO_2 + H_2O$$

$$CoCl_2 + 6H_2O \rightarrow CoCl_2.6H_2O$$

Maximum yield

Number of moles of HCl used = ...

Number of moles of $CoCl_2$ formed = ...

Number of moles of $CoCl_2.6H_2O$ formed = ...

Mass of one mole of $CoCl_2.6H_2O$ = 238 g

Maximum yield of $CoCl_2.6H_2O$ = ... g [4]

To show that cobalt(II) carbonate is in excess

Number of moles of HCl used = ... (use value from above)

Mass of one mole of $CoCO_3$ = 119 g

Number of moles of $CoCO_3$ in 6.0 g of cobalt(II) carbonate = ... [1]

Explain why cobalt(II) carbonate is in excess .....

..... [1]

[Total: 10]

© UCLES 2010

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

	Group																	
	I	II										III	IV	V	VI	VII	0
																	4 He Helium 2
				1 H Hydrogen 1									11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10
	7 Li Lithium 3	9 Be Beryllium 4											27 Al Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulfur 16	35.5 Cl Chlorine 17	40 Ar Argon 18
	23 Na Sodium 11	24 Mg Magnesium 12											70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
	39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54
	85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	Po Polonium 84	At Astatine 85	Rn Radon 86
	133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80						
	Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89 †															

*	140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71
†	232 Th Thorium 90	231 Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103

*58-71 Lanthanoid series
†90-103 Actinoid series

Key

a	a = relative atomic mass
X	X = atomic symbol
b	b = proton (atomic) number

The volume of one mole of any gas is 24 dm^3 at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2010