UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CANDIDATE NAME	
CENTRE NUMBER	
CANDIDATE NUMBER	

1580108680

CHEMISTRY **0620/32**

Paper 3 (Extended) **October/November 2012**

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen.
You may use a pencil for any diagrams, graphs or rough working.
Do not use staples, paper clips, highlighters, glue or correction fluid.
DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.
A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.
The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
Total	

This document consists of **13** printed pages and **3** blank pages.

© UCLES 2012

For Examiner's Use

1 This question is concerned with the elements in Period 5, Rb to Xe.

(a) The electron distributions of some of these elements are given in the following list.

element **A** 2 + 8 + 18 + 8 + 2
element **B** 2 + 8 + 18 + 18 + 8
element **C** 2 + 8 + 18 + 18 + 5
element **D** 2 + 8 + 18 + 18 + 6
element **E** 2 + 8 + 18 + 18 + 4
element **F** 2 + 8 + 18 + 18 + 7

(i) Identify element **C**. ..... [1]

(ii) Which element in the list does not form any compounds?

..... [1]

(iii) Which element in the list forms a chloride of the type XCl_2?

..... [1]

(iv) Which **two** elements would react together to form a compound of the type XY_4?

..... [1]

(v) Which element in the list would react with cold water to form an alkaline solution and hydrogen?

..... [1]

(b) Predict **two** differences in physical properties and **two** differences in chemical properties between rubidium and the transition metal niobium.

physical .....

.....

.....

chemical .....

.....


..... [4]

[Total: 9]

© UCLES 2012

For Examiner's Use

2 The diagram shows a heating curve for a sample of compound X.



(a) Is X a solid, a liquid or a gas at room temperature, 20 °C?

..... [1]

(b) Write an equation for the equilibrium which exists in region BC.

..... [2]

(c) Name the change of state which occurs in region DE.

..... [1]

(d) Explain how the curve shows that a pure sample of compound X was used.

.....


..... [2]

[Total: 6]

For Examiner's Use

3 Many organic compounds which contain a halogen have chloro, bromo or iodo in their name.

(a) The following diagram shows the structure of 1-chloropropane.



(i) Draw the structure of an isomer of this compound.

[1]

(ii) Describe how 1-chloropropane could be made from propane.

.....

..... [2]

(iii) Suggest an explanation why the method you have described in **(ii)** does not produce a pure sample of 1-chloropropane.

.....

..... [2]

(b) Organic halides react with water to form an alcohol and a halide ion.

$$CH_3–CH_2–I + H_2O \rightarrow CH_3–CH_2–OH + I^-$$

(i) Describe how you could show that the reaction mixture contained an iodide ion.

.....

..... [2]

(ii) Name the alcohol formed when 1-chloropropane reacts with water.

..... [1]

© UCLES 2012

(c) The speed (rate) of reaction between an organic halide and water can be measured by the following method.

A mixture of 10 cm^3 of aqueous silver nitrate and 10 cm^3 of ethanol is warmed to 60 °C. Drops of the organic halide are added and the time taken for a precipitate to form is measured.

Silver ions react with the halide ions to form a precipitate of the silver halide.

$$Ag^+(aq) + X^-(aq) \rightarrow AgX(s)$$

Typical results for four experiments, **A**, **B**, **C** and **D**, are given in the table.

experiment	organic halide	number of drops	time / min
A	bromobutane	4	6
B	bromobutane	8	3
C	chlorobutane	4	80
D	iodobutane	4	0.1

(i) Explain why it takes longer to produce a precipitate in experiment **A** than in **B**.

.....

..... [2]

(ii) How does the order of reactivity of the organic halides compare with the order of reactivity of the halogens?

.....

..... [2]

(iii) Explain why the time taken to produce a precipitate would increase if the experiments were repeated at 50 °C.

.....

.....


..... [3]

[Total: 15]

© UCLES 2012

For Examiner's Use

4 Iron is extracted from its ore, hematite, in the blast furnace.



(a) The temperature inside the blast furnace can rise to 2000 °C.
Write an equation for the exothermic reaction which causes this high temperature.

..... [1]

(b) Carbon monoxide is formed in the blast furnace. This reduces the ore hematite, Fe_2O_3, to iron.

(i) Explain how carbon monoxide is formed in the blast furnace.

.....

..... [2]

(ii) Write an equation for the reduction of hematite by carbon monoxide.

..... [2]

(c) Explain why it is necessary to add limestone, calcium carbonate, to the blast furnace. Include an equation in your explanation.

.....

.....

..... [3]

© UCLES 2012

For Examiner's Use

(d) Most of the iron from the blast furnace is converted into mild steel. A method of preventing the steel from rusting is coating it with zinc.

(i) What is the name of this method of rust prevention?

..... [1]

(ii) Explain, using the idea of electron transfer, why zinc-coated steel does not rust even when the coating is scratched and the steel is in contact with oxygen and water.

.....

.....

.....

..... [3]

[Total: 12]

© UCLES 2012

[Turn over

For Examiner's Use

5 The food additive E220 is sulfur dioxide. It is a preservative for a variety of foods and drinks.

(a) State **two** other uses of sulfur dioxide.

.....

..... [2]

(b) How is sulfur dioxide manufactured?

.....

..... [2]

(c) Sulfur dioxide is a reductant (reducing agent). Describe what you would see when aqueous sulfur dioxide is added to acidified potassium manganate(VII).

.....

..... [2]

(d) Sulfur dioxide can also be made by the reaction between a sulfite and an acid.

$$Na_2SO_3 + 2HCl \rightarrow 2NaCl + SO_2 + H_2O$$

Excess hydrochloric acid was added to 3.15 g of sodium sulfite. Calculate the maximum volume, measured at r.t.p., of sulfur dioxide which could be formed.
The mass of one mole of Na_2SO_3 is 126 g.

.....

.....

..... [3]


[Total: 9]

© UCLES 2012

For Examiner's Use

6 During electrolysis, ions move in the electrolyte and electrons move in the external circuit. Reactions occur at the electrodes.

(a) The diagram shows the electrolysis of molten lithium iodide.



(i) Draw an arrow on the diagram to show the direction of the electron flow in the external circuit. [1]

(ii) Electrons are supplied to the external circuit. How and where is this done?

.....

..... [2]

(iii) Explain why solid lithium iodide does not conduct electricity but when molten it is a good conductor.

.....

..... [1]


(b) The results of experiments on electrolysis are shown in the following table. Complete the table. The first line has been done as an example.

electrolyte	electrodes	product at cathode	product at anode	change to electrolyte
molten lithium iodide	carbon	lithium	iodine	used up
aqueous copper(II) sulfate	platinum		oxygen	
concentrated aqueous potassium chloride	carbon		chlorine	

[4]

For Examiner's Use

(c) The diagram below shows the electrolysis of dilute sulfuric acid. Hydrogen is formed at the negative electrode (cathode) and oxygen at the positive electrode (anode) and the concentration of sulfuric acid increases.



The ions present in the dilute acid are $H^+(aq)$, $OH^-(aq)$ and $SO_4^{2-}(aq)$.

(i) Write an equation for the reaction at the negative electrode (cathode).

..... [2]


(ii) Complete the equation for the reaction at the positive electrode (anode).

$$4OH^-(aq) \rightarrow O_2(g) + ...H_2O(l) + ...$$ [1]

(iii) Suggest an explanation of why the concentration of the sulfuric acid increases.

..... [1]

(d) In the apparatus used in **(c)**, the power supply is removed and immediately replaced by a voltmeter.



A reading on the voltmeter shows that electrical energy is being produced. Suggest an explanation for how this energy is produced.

.....

.....

..... [3]

[Total: 15]

For Examiner's Use

7 The alcohols form a homologous series. The first member of this series is methanol, CH_3OH.

(a) (i) Give the general formula of the alcohols.

..... [1]

(ii) The mass of one mole of an alcohol is 116 g. What is its formula?
Show your reasoning.

.....

..... [2]

(iii) Draw a diagram showing the arrangement of the outer (valency) electrons in one molecule of methanol.

Use x to represent an electron from a carbon atom.
Use o to represent an electron from a hydrogen atom.
Use ● to represent an electron from an oxygen atom.

[3]

(b) Methanol is manufactured using the following method.

$$CH_4(g) + H_2O(g) \rightarrow CO(g) + 3H_2(g) \qquad \text{reaction 1}$$

$$CO(g) + 2H_2(g) \rightleftharpoons CH_3OH(g) \qquad \text{reaction 2}$$

The conditions for reaction 2 are:

pressure	100 atmospheres
catalyst	a mixture of copper, zinc oxide and aluminium oxide
temperature	250 °C

The forward reaction is exothermic.

(i) Why is high pressure used in reaction 2?

.....

..... [2]

© UCLES 2012

[Turn over

(ii) Explain why using a catalyst at 250 °C is preferred to using a higher temperature of 350 °C and no catalyst.

.....

.....

..... [3]

(c) Methanol is oxidised by atmospheric oxygen. This reaction is catalysed by platinum.

(i) The products of this reaction include a carboxylic acid. Give its name and structural formula.

name .....

structural formula showing all bonds

[2]

(ii) Deduce the name of the ester formed by the reaction of methanol with the carboxylic acid named in **(i)**.

..... [1]

[Total: 14]

© UCLES 2012

BLANK PAGE

© UCLES 2012

BLANK PAGE

© UCLES 2012

BLANK PAGE

© UCLES 2012

DATA SHEET
The Periodic Table of the Elements

	Group																	
	I	II									III	IV	V	VI	VII	0
																4 He Helium 2
				1 H Hydrogen 1							11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10
	7 Li Lithium 3	9 Be Beryllium 4									27 Al Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulfur 16	35.5 Cl Chlorine 17	40 Ar Argon 18
	23 Na Sodium 11	24 Mg Magnesium 12									70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
	39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54
	85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54
	133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	Po Polonium 84	At Astatine 85	Rn Radon 86
	226 Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89 †															

140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71
232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103

*58-71 Lanthanoid series
†90-103 Actinoid series

Key: a = relative atomic mass; X = atomic symbol; b = proton (atomic) number

The volume of one mole of any gas is 24 dm^3 at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2012