Cambridge IGCSE

Cambridge International Examinations
Cambridge International General Certificate of Secondary Education

CANDIDATE NAME	
CENTRE NUMBER	
CANDIDATE NUMBER	

7225024044

CHEMISTRY **0620/23**

Paper 2 **October/November 2015**

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page.
Write in dark blue or black pen.
You may use an HB pencil for any diagrams or graphs.
Do not use staples, paper clips, glue or correction fluid.
DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.
Electronic calculators may be used.
A copy of the Periodic Table is printed on page 16.
You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.
The number of marks is given in brackets [ ] at the end of each question or part question.


The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **16** printed pages.

© UCLES 2015

CAMBRIDGE International Examinations

1 The structures of six gases are shown below.

A	**B**	**C**	**D**	**E**	**F**
	$Cl—Cl$	$N\equiv N$	$O=O$	Ar	$O=C=O$

Answer the following questions about these gases.
Each gas may be used once, more than once or not at all.

(a) Which gas, **A**, **B**, **C**, **D**, **E** or **F**

(i) bleaches damp litmus paper, ... [1]

(ii) forms 79% of the air, ... [1]

(iii) is a noble gas, ... [1]

(iv) can undergo polymerisation, ... [1]

(v) decolourises aqueous bromine, ... [1]

(vi) is a product of respiration? ..... [1]

(b) Gas **F** is a compound.

Define the term *compound*.

.....

..... [1]

(c) Give a use for gas **E**.

..... [1]

(d) When magnesium is heated in gas **C** magnesium nitride, Mg_3N_2, is formed.

Complete the symbol equation for this reaction.

$$\text{.....Mg} + \text{.....} \rightarrow Mg_3N_2$$

[1]

[Total: 9]

© UCLES 2015

2 Household waste can be burned to produce energy.
The table shows the energy released by different materials when the waste is burned.

material burned	mass burned / kg	energy released / kJ
metals	1.0	1 000
organic matter	0.5	8 000
paper	2.0	40 000
plastics	1.0	30 000
cloth	1.0	15 000

(a) Which material releases the most energy per kilogram when burned?


..... [1]

(b) Which **one** of the following words best describes the energy change when a substance is burned?
Tick **one** box.

endothermic ☐
neutralisation ☐
exothermic ☐
reduction ☐

[1]

(c) The structure of part of a plastic is shown below.



How many different types of atom are present in this plastic?

..... [1]

(d) Waste paper can be converted into an 'oil' by heating it at 350 °C under pressure in the presence of a catalyst.

(i) What is the purpose of the catalyst?

..... [1]

(ii) The 'oil' has the formula, $C_{22}H_{22}O_2$.

Complete the word equation for the complete combustion of this oil.

'oil' + oxygen → ..... + ...

[2]

(e) Some plastics contain sulfur.

Explain why plastics containing sulfur are harmful to the environment when burned.

.....

..... [2]

(f) When organic matter decomposes, methane and carboxylic acids are formed.

(i) To which homologous series does methane belong?


..... [1]

(ii) Ethanoic acid is a carboxylic acid.

State **one** physical property of ethanoic acid.

..... [1]

(iii) Complete the formula for ethanoic acid showing all atoms and all bonds.




[1]

[Total: 11]

© UCLES 2015

3 Hydrogen chloride can be prepared in the laboratory by heating sodium chloride with concentrated sulfuric acid using the apparatus shown below.



(a) Complete the diagram by adding the labels in the boxes. [2]

(b) The equation for the reaction is shown below.

$$2NaCl + H_2SO_4 \rightarrow Na_2SO_4 + 2HCl$$

State the name of the salt formed as a product in this reaction.


..... [1]

© UCLES 2015

[Turn over

(c) Hydrogen chloride gas dissolves in water to form hydrochloric acid.

(i) The diagram below shows the apparatus used to electrolyse concentrated hydrochloric acid.



Label the diagram to show

- the anode,
- the cathode,
- the electrolyte. [2]

(ii) Give the names of the gases collected at

X, ...

Y. .....
[2]


(iii) Complete the word equation for the reaction of hydrochloric acid with calcium carbonate.

hydrochloric acid + calcium carbonate → ..... + ... + ...
....

[3]

© UCLES 2015

(d) Aqueous ammonia is added slowly to a beaker containing hydrochloric acid.
The graph below shows how the pH of the solution in the flask changes as the aqueous ammonia is added.



(i) What was the pH of the hydrochloric acid at the start of the experiment?

..... [1]

(ii) Describe how the pH of the solution changes as the titration proceeds.

.....

.....


..... [3]

[Total: 14]

4 Ethanol can be made by fermenting glucose.

$$\text{glucose} \xrightarrow{\text{yeast}} \text{ethanol} + \text{carbon dioxide}$$

A student investigated the fermentation of glucose at 30 °C. She used the apparatus shown below.




(a) Describe how this apparatus can be used to investigate the rate of this reaction.

.....

.....

..... [3]

(b) The graph below shows how the rate of fermentation changes with time.



(i) Describe how the rate of fermentation changes with time.

.....

..... [2]

(ii) What is the rate of reaction 40 hrs after the start of the experiment?

..... cm^3 CO_2 per hour [1]

(iii) Suggest **two** ways to increase the rate of this reaction.

1 .....

2 .....
[2]

(c) If air is introduced into the fermentation mixture, some of the ethanol is converted to ethanoic acid.
Ethanoic acid has properties which are typical of most acids.

Suggest how you could distinguish between ethanoic acid and ethanol.

.....

..... [2]

[Total: 10]

© UCLES 2015

[Turn over

5 **(a)** Mercury is a liquid at room temperature. When heated, it changes to mercury vapour.

Explain, using the kinetic particle theory, the differences in the arrangement and motion of the particles in liquid mercury and mercury vapour.

.....

.....

.....

.....

..... [4]

(b) The table below compares the properties of some metals.

metal	melting point / °C	boiling point / °C	corrosion resistance
aluminium	660	2467	resistant to corrosion because of oxide layer
copper	1083	2567	fairly resistant to corrosion
iron	1535	2750	corrodes easily
potassium	63	760	corrodes very easily

Use the information in the table to answer the following questions.

(i) What is the state of potassium at 100 °C?
Explain your answer.

.....

..... [2]

(ii) Which **two** metals in the table are transition elements?
Explain your answer.

.....

..... [2]

(iii) Why is aluminium used for food containers?

..... [1]

© UCLES 2015

(c) Iron undergoes a form of corrosion called rusting.

(i) State the conditions needed for rusting?

..... and ..... [2]

(ii) Explain why painting a clean iron object prevents it from rusting.

..... [1]

(d) Iron reacts with hydrochloric acid. A salt with the formula $FeCl_2$ is formed as well as a gas which pops with a lighted splint.

(i) Complete the word equation for this reaction.

iron + hydrochloric acid $\rightarrow$ ..... + ...

[2]

(ii) Describe a test for iron(II) ions.

test .....

result .....

[2]

(e) Stainless steel is an alloy of iron.

Give **one** use of stainless steel.


..... [1]

[Total: 17]

© UCLES 2015

[Turn over

6 Petroleum is a mixture of hydrocarbons. Hydrocarbon fractions are separated in an oil refinery. The diagram shows the chemical plant used.



(a) Name the process by which hydrocarbon fractions are separated and state the physical property which allows this process to be carried out.

.....

..... [2]

(b) Use the information in the diagram above to answer these questions.

(i) Which fraction contains hydrocarbons with the lowest relative molecular masses?

..... [1]


(ii) State the name of the fraction labelled **X**.

..... [1]


© UCLES 2015

(c) In some oil refineries, naphtha is heated with steam at 800 °C.
A mixture of hydrocarbons is formed.
Some of these hydrocarbons are shown below.


A




B




C



D



E



(i) Which **two** of these hydrocarbons are unsaturated?

..... and ..... [1]


(ii) Compound **D** can be cracked to make hydrogen.

Complete the symbol equation for this reaction.

$$C_3H_8 \rightarrow \text{.....} + \text{.....}$$

[2]

(d) Bitumen is a mixture of hydrocarbons.
Bitumen is heated with copper(II) oxide.



(i) A pinkish-brown solid appears at the bottom of the test-tube. This solid conducts electricity.

Suggest the name of this pinkish-brown solid.

..... [1]

(ii) Water collects on the walls of the test-tube at **W**.

Suggest why water collects at this point?

..... [1]

[Total: 9]

© UCLES 2015

[Turn over

7 **(a)** Chlorine is in Group VII of the Periodic Table.
One isotope of a chlorine atom has a nucleon number of 35.

Describe the structure of an atom of this isotope of chlorine.
In your answer refer to

- the type and number of each subatomic particle present,
- the charges on each type of subatomic particle,
- the position of each type of subatomic particle in the atom.

.....

.....

.....

.....

.....

.....

..... [5]

(b) Chlorine reacts with sodium to form sodium chloride.
Sodium chloride contains Na^+ ions and Cl^- ions.

Explain why sodium ions are positively charged and chloride ions are negatively charged.

.....

.....

..... [2]

(c) When chlorine reacts with aqueous potassium iodide, the solution turns brown.

(i) Suggest why the solution turns brown.


..... [1]

(ii) Explain why aqueous potassium chloride does **not** react with iodine.

..... [1]

© UCLES 2015

(d) The structure of a chlorofluorocarbon is shown below.



Deduce the molecular formula of this compound.

..... [1]

[Total: 10]

© UCLES 2015

DATA SHEET
The Periodic Table of the Elements

Group																		
I	II										III	IV	V	VI	VII	0
						1 H Hydrogen 1										4 He Helium 2
7 Li Lithium 3	9 Be Beryllium 4										11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10
23 Na Sodium 11	24 Mg Magnesium 12										27 Al Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulfur 16	35.5 Cl Chlorine 17	40 Ar Argon 18
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	[98] Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	[209] Po Polonium 84	[210] At Astatine 85	[222] Rn Radon 86
[223] Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89 †																

140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	[145] Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71
232 Th Thorium 90	231 Pa Protactinium 91	238 U Uranium 92	[237] Np Neptunium 93	[244] Pu Plutonium 94	[243] Am Americium 95	[247] Cm Curium 96	[247] Bk Berkelium 97	[251] Cf Californium 98	[252] Es Einsteinium 99	[257] Fm Fermium 100	[258] Md Mendelevium 101	[259] No Nobelium 102	[262] Lr Lawrencium 103

*58-71 Lanthanoid series
†90-103 Actinoid series

Key

a
X
b

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

The volume of one mole of any gas is 24 dm^3 at room temperature and pressure (r.t.p.).

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.