Cambridge Assessment International Education

Cambridge IGCSE™

PHYSICS **0625/33**

Paper 3 Core Theory **May/June 2022**

MARK SCHEME

Maximum Mark: 80

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2022 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

© UCLES 2022

[Turn over

PUBLISHED

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

© UCLES 2022

GENERIC MARKING PRINCIPLE 5: Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).
GENERIC MARKING PRINCIPLE 6: Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

© UCLES 2022

Science-Specific Marking Principles

1	Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
2	The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
3	Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
4	The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
5	'List rule' guidance For questions that require ***n*** responses (e.g. State **two** reasons …): • The response should be read as continuous prose, even when numbered answer spaces are provided. • Any response marked *ignore* in the mark scheme should not count towards ***n***. • Incorrect responses should not be awarded credit but will still count towards ***n***. • Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response. • Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

© UCLES 2022

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

© UCLES 2022

Examples of how to apply the list rule
State **three** reasons…. [3]

A

1	Correct	✓	**2**
2	Correct	✓	
3	Wrong	×	

B **(4 responses)**

1	Correct, Correct	✓, ✓	**3**
2	Correct	✓	
3	Wrong	ignore	

C **(4 responses)**

1	Correct	✓	**2**
2	Correct, Wrong	✓, ×	
3	Correct	ignore	

D **(4 responses)**

1	Correct	✓	**2**
2	Correct, CON (of 2.)	×, (discount 2)	
3	Correct	✓	

E **(4 responses)**

1	Correct	✓	**3**
2	Correct	✓	
3	Correct, Wrong	✓	

F **(4 responses)**

1	Correct	✓	**2**
2	Correct	✓	
3	Correct CON (of 3.)	× (discount 3)	

G **(5 responses)**

1	Correct	✓	**3**
2	Correct	✓	
3	Correct Correct CON (of 4.)	✓ ignore ignore	

H **(4 responses)**

1	Correct	✓	**2**
2	Correct	×	
3	CON (of 2.) Correct	(discount 2) ✓	

I **(4 responses)**

1	Correct	✓	**2**
2	Correct	×	
3	Correct CON (of 2.)	✓ (discount 2)	

© UCLES 2022

PUBLISHED

NOTES ABOUT MARK SCHEME SYMBOLS & OTHER MATTERS

M marksare method marks upon which further marks depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent marks can be scored.

B marks are independent marks, which do not depend on other marks. For a B mark to scored, the point to which it refers must be seen specifically in the candidate's answers.

A marks In general A marks are awarded for final answers to numerical questions. If a final numerical answer, eligible for A marks, is correct, with the correct unit and an acceptable number of significant figures, all the marks for that question are normally awarded. It is very occasionally possible to arrive at a correct answer by an entirely wrong approach. In these rare circumstances, do not award the A marks, but award C marks on their merits. However, correct numerical answers with no working shown gain all the marks available.

C marks are compensatory marks in general applicable to numerical questions. These can be scored even if the point to which they refer are not written down by the candidate, **provided subsequent working gives evidence that they must have known it.** For example, if an equation carries a C mark and the candidate does not write down the actual equation but does correct substitution or working which shows that they knew the equation, then the C mark is scored. A C mark is not awarded if a candidate makes two points which contradict each other. Points which are wrong but irrelevant are ignored.

Brackets ( ) around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

Underlining indicates that this must be seen in the answer offered, or something very similar.

OR / or indicates alternative answers, any one of which is satisfactory for scoring the marks.

o.w.t.t.e. means 'or words to that effect'.

© UCLES 2022

Question	Answer	Marks
1(a)(i)	metre rule	**B1**
1(a)(ii)	50 (m)	**B1**
1(b)	graph starts at origin	**B1**
	speed = 0 at 9.0 s	**B1**
	highest speed at 17 s	**B1**
1(c)(i)	260 (s)	**B1**
1(c)(ii)	1.9 (m/s)	**A3**
	500 ÷ 260 OR 500 ÷ **(c)(i)**	**(C2)**
	(speed =) distance ÷ time in any form	**(C1)**

Question	Answer	Marks
2(a)(i)	electrical	**B1**
	(to) kinetic OR (gravitational) potential	**B1**
2(a)(ii)	(gravitational) potential	**B1**
2(b)(i)	same	**B1**
2(b)(ii)	any **two** from the following: energy transferred to surroundings thermal (energy) / heat lost work done against friction motor less than 100% efficient	**B2**

© UCLES 2022

Question	Answer	Marks
2(b)(iii)	weight/force/mass AND height/distance moved	**B1**
	time	**B1**
2(c)	7900 OR 7870	**A3**
	70 ÷ 0.0089	**(C2)**
	(density =) mass ÷ volume in any form	**(C1)**

Question	Answer	Marks
3(a)	any **two** from larger area lower pressure (on ground) does not sink in	**B2**
3(b)(i)	400	**A3**
	4000 ÷ 10 OR 4000 ÷ 9.8	**(C2)**
	(mass =) weight ÷ g OR weight ÷ 10 weight ÷ 9.8 in any form	**(C1)**
3(b)(ii)	500	**A3**
	1000 ÷ 2.0 OR 4000 ÷ (4 × 2.0)	**(C2)**
	(pressure =) force ÷ area in any form	**(C1)**
	N/m^2 OR Pa	**B1**

© UCLES 2022

Question	Answer	Marks
4(a)	situation	**B1**
	explanation	**B1**
4(b)(i)	decreases	**B1**
4(b)(ii)	molecules slow(er)/less (kinetic) energy	**B1**
	hit (wall/flask) less often	**B1**
	hit (wall/flask) with less force	**B1**

Question	Answer	Marks
5(a)	thermometer	**B1**
5(b)(i)	radiation	**B1**
5(b)(ii)	conduction	**B1**
5(c)	(dull) black pipes	**B1**
	better absorber (of radiation)/less reflection from pipes	**B1**
	foil/shiny metal behind pipes	**B1**
	reflects (radiation back to pipes) owtte	**B1**
	valid alternatives	**(B1)**

© UCLES 2022

Question	Answer	Marks
6(a)	normal(s)	**B1**
6(b)(i)	angle of incidence	**B1**
	that gives an angle of refraction of 90°	**B1**
6(b)(ii)	20° – emergent ray is refracted in air	**B1**
	40° – emergent ray is refracted in air AND greater refraction	**B1**
	60° – ray is reflected internally	**B1**

Question	Answer	Marks
7(a)(i)	infrared AND microwaves AND radio waves	**B1**
7(a)(ii)	radio waves	**B1**
7(a)(iii)	any **two** from: infrared microwaves radio waves	**B1**
7(a)(iv)	ultrasound	**B1**
7(b)	remote controls/heat lamps/heaters/thermal imaging/night vision/security cameras/heaters/grills/measuring blood	**B1**
	oxygen/pulse oximeters/measuring body temperature/thermal thermometer	**B1**

© UCLES 2022

Question	Answer	Marks
7(c)		**B2**

wave	transverse	longitudinal
infrared	✓	
microwaves	✓	
ultrasound		✓
radio waves	✓	

Question	Answer	Marks
8(a)(i)	400	**A3**
	(Ns =) $N_P \times V_S/V_P$ OR 8000 × 12/240	**(C2)**
	$V_P/V_S = N_P/N_S$ in any form	**(C1)**
8(a)(ii)	(step-down) transformer	**B1**
8(a)(iii)	copper	**B1**
8(b)	motor connected between A and B	**B1**
	2 lamps in series connected between A and B	**A2**
	2 lamps in series	**(C1)**

Question	Answer	Marks
9(a)	electromotive force/e. m. f./ potential difference/p. d./ voltage	**B1**

© UCLES 2022

Question	Answer	Marks
9(b)(i)	electron(s)	**B1**
9(b)(ii)	ammeter	**B1**
9(c)(i)	0.4(0) (A)	**A3**
	4(.0) ÷ 10	**(C2)**
	(I =) V ÷ R in any form	**(C1)**
9(c)(ii)	0.4(0) (A) OR same as **(c)(i)**	**B1**
9(c)(iii)	no change/same	**M1**
	resultant/total/combined resistance does not change	**A1**

Question	Answer	Marks
10(a)	alpha/α	**B1**
	beta/β	**B1**
	gamma/γ	**B1**
10(b)(i)	35	**B1**
10(b)(ii)	17	**B1**
10(b)(iii)	18	**B1**
10(c)	<u>electrons</u>	**B1**

© UCLES 2022