UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
General Certificate of Education Ordinary Level

CANDIDATE NAME

CENTRE NUMBER

CANDIDATE NUMBER

2504157352

ADDITIONAL MATHEMATICS **4037/13**

Paper 1 **October/November 2011**

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen.
You may use a pencil for any diagrams or graphs.
Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer **all** questions.
Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place in the case of angles in degrees, unless a different level of accuracy is specified in the question.
The use of an electronic calculator is expected, where appropriate.
You are reminded of the need for clear presentation in your answers.

At the end of the examination, fasten all your work securely together.
The number of marks is given in brackets [ ] at the end of each question or part question.
The total number of marks for this paper is 80.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
Total	

This document consists of **16** printed pages.

© UCLES 2011

Mathematical Formulae

For Examiner's Use

1. ALGEBRA

Quadratic Equation

For the equation $ax^2 + bx + c = 0$,

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}.$$

Binomial Theorem

$$(a + b)^n = a^n + \binom{n}{1} a^{n-1} b + \binom{n}{2} a^{n-2} b^2 + \ldots + \binom{n}{r} a^{n-r} b^r + \ldots + b^n,$$

where n is a positive integer and $\binom{n}{r} = \frac{n!}{(n-r)!r!}$.

2. TRIGONOMETRY

Identities

$$\sin^2 A + \cos^2 A = 1$$

$$\sec^2 A = 1 + \tan^2 A$$

$$\operatorname{cosec}^2 A = 1 + \cot^2 A$$

Formulae for ΔABC

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

$$\Delta = \frac{1}{2} bc \sin A$$

© UCLES 2011

For Examiner's Use

1 Given that $\dfrac{\left(6x^{\frac{3}{2}}y^{\frac{4}{5}}\right)^4}{2x^{\frac{1}{2}}y^{-1}} = ax^p y^q$, find the values of the constants a, p and q. [3]

2 Express $\sqrt{\dfrac{1-\cos^2\theta}{4\sec^2\theta - 4}}$ in the form $k\cos\theta$, where k is a constant to be found. [4]

3 **(i)** Given that $\mathbf{A} = \begin{pmatrix} 4 & 3 \\ -8 & -2 \end{pmatrix}$, find $\mathbf{A}^{-1}$. [2]

For Examiner's Use

(ii) Hence find the matrix $\mathbf{M}$ such that $\begin{pmatrix} 4 & 3 \\ -8 & -2 \end{pmatrix} \mathbf{M} = \begin{pmatrix} 1 & 4 \\ 2 & 3 \end{pmatrix}$. [3]

© UCLES 2011

4 **(a)** Sets A and B are such that $n(A) = 11$, $n(B) = 13$ and $n(A \cup B) = 18$.
Find $n(A \cap B)$. [2]

For Examiner's Use

(b) Sets $\mathscr{E}$, X and Y are such that

$$\mathscr{E} = \{\theta : 0 \leqslant \theta \leqslant 2\pi\},\ X = \{\theta : \sin\theta = -0.5\},\ Y = \left\{\theta : \sec^2\theta = \frac{4}{3}\right\}.$$

(i) Find, in terms of π, the elements of the set X. [1]

(ii) Find, in terms of π, the elements of the set Y. [2]

(iii) Use set notation to describe the relationship between the sets X and Y. [1]

5 It is given that $\lg p^3 q = 10a$ and $\lg\left(\frac{p}{q^2}\right) = a$.

For Examiner's Use

(i) Find, in terms of a, expressions for $\lg p$ and $\lg q$. [5]

(ii) Find the value of $\log_p q$. [1]

6 A curve has equation $y = 6\cos\frac{x}{2} + 4\sin\frac{x}{2}$, for $0 < x < 2\pi$ radians.


For Examiner's Use

(i) Find the x-coordinate of the stationary point on the curve. [5]

(ii) Determine the nature of this stationary point. [2]

7

For Examiner's Use



The figure shows a right-angled triangle ABC, where the point A has coordinates $(-4,2)$, the angle B is 90° and the point C lies on the x-axis. The point $M(1,3)$ is the midpoint of AB. Find the area of the triangle ABC. [7]

8 Vectors **a** and **b** are such that $\mathbf{a} = \begin{pmatrix} 3+m \\ 5-2n \end{pmatrix}$ and $\mathbf{b} = \begin{pmatrix} 4-2n \\ 10+3m \end{pmatrix}$.

For Examiner's Use

(i) Given that $3\mathbf{a} + \mathbf{b} = \begin{pmatrix} 1+n \\ -5 \end{pmatrix}$, find the value of m and of n. [4]

(ii) Show that the magnitude of **b** is $k\sqrt{5}$, where k is an integer to be found. [2]

(iii) Find the unit vector in the direction of **b**. [1]

9 The function f is defined, for $0° \leqslant x \leqslant 360°$, by $f(x) = 2\sin 3x - 1$.

For Examiner's Use

(i) State the amplitude and period of f. [2]

(ii) State the maximum value of f and the corresponding values of x. [3]

(iii) Sketch the graph of f. [2]

© UCLES 2011

10 **(a)** Differentiate $\tan(3x + 2)$ with respect to x. [2]

For Examiner's Use

(b) Differentiate $\left(\sqrt{x} + 1\right)^{\frac{2}{3}}$ with respect to x. [3]

(c) Differentiate $\dfrac{\ln(x^3 - 1)}{2x + 3}$ with respect to x. [3]

11 A particle moves in a straight line so that, t s after leaving a fixed point O, its velocity v ms^{-1} is given by $v = 3e^{2t} + 4t$.

For Examiner's Use

(i) Find the initial velocity of the particle. [1]

(ii) Find the initial acceleration of the particle. [3]

© UCLES 2011

(iii) Find the distance travelled by the particle in the third second. [4]

For Examiner's Use

12 Answer only **one** of the following two alternatives.

For Examiner's Use

EITHER

A function f is such that $f(x) = \ln(5x - 10)$, for $x > 2$.

(i) State the range of f. [1]

(ii) Find $f^{-1}(x)$. [3]

(iii) State the range of f^{-1}. [1]

(iv) Solve $f(x) = 0$. [2]

A function g is such that $g(x) = 2x - \ln 2$, for $x \in \mathbb{R}$.

(v) Solve $gf(x) = f(x^2)$. [5]

OR

A function f is such that $f(x) = 4e^{-x} + 2$, for $x \in \mathbb{R}$.

(i) State the range of f. [1]

(ii) Solve $f(x) = 26$. [2]

(iii) Find $f^{-1}(x)$. [3]

(iv) State the domain of f^{-1}. [1]

A function g is such that $g(x) = 2e^x - 4$, for $x \in \mathbb{R}$.

(v) Using the substitution $t = e^x$ or otherwise, solve $g(x) = f(x)$. [5]

Start your answer to Question 12 here.

Indicate which question you are answering.

EITHER	
OR	

.....

.....

.....

.....

.....

.....

.....

.....

© UCLES 2011

Continue your answer to Question 12 here.

For Examiner's Use

Continue your answer here if necessary.

For Examiner's Use

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.