Cambridge Assessment International Education

Cambridge IGCSE™

CANDIDATE NAME									
CENTRE NUMBER						CANDIDATE NUMBER				

7011674582

ADDITIONAL MATHEMATICS **0606/12**

Paper 1 **February/March 2022**

2 hours

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].

This document has **16** pages. Any blank pages are indicated.

© UCLES 2022

Mathematical Formulae

1. ALGEBRA

Quadratic Equation

For the equation $ax^2 + bx + c = 0$,

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Binomial Theorem

$$(a+b)^n = a^n + \binom{n}{1}a^{n-1}b + \binom{n}{2}a^{n-2}b^2 + \ldots + \binom{n}{r}a^{n-r}b^r + \ldots + b^n$$

where n is a positive integer and $\binom{n}{r} = \frac{n!}{(n-r)!r!}$

Arithmetic series $u_n = a + (n-1)d$

$$S_n = \frac{1}{2}n(a+l) = \frac{1}{2}n\{2a + (n-1)d\}$$

Geometric series $u_n = ar^{n-1}$

$$S_n = \frac{a(1-r^n)}{1-r} \quad (r \neq 1)$$

$$S_\infty = \frac{a}{1-r} \quad (|r| < 1)$$

2. TRIGONOMETRY

Identities

$$\sin^2 A + \cos^2 A = 1$$
$$\sec^2 A = 1 + \tan^2 A$$
$$\operatorname{cosec}^2 A = 1 + \cot^2 A$$

Formulae for ΔABC

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc\cos A$$

$$\Delta = \frac{1}{2}bc\sin A$$

© UCLES 2022

1 Find the values of k such that the line $y = 9kx + 1$ does not meet the curve $y = kx^2 + 3x(2k + 1) + 4$. [5]

2 DO NOT USE A CALCULATOR IN THIS QUESTION.

Solve the equation $(3-5\sqrt{3})x^2+(2\sqrt{3}+5)x-1=0$, giving your solutions in the form $a+b\sqrt{3}$, where a and b are rational numbers. [6]

© UCLES 2022

3 The curve with equation $y = a\sin bx + c$, where a, b and c are constants, passes through the points $(4\pi, 11)$ and $\left(-\frac{4\pi}{3}, 5\right)$. It is given that $a\sin bx + c$ has period 16π.

(a) Find the exact values of a, b and c. [4]

(b) Using your answer to **part (a)**, find the coordinates of the minimum point on the curve for $0 \leqslant x \leqslant 16\pi$. [4]

4 **(a)** Show that $\frac{1}{2x-1}+\frac{4}{(2x-1)^2}$ can be written as $\frac{2x+3}{(2x-1)^2}$. [1]

(b) Find $\int_2^5 \frac{2x+3}{(2x-1)^2}\mathrm{d}x$, giving your answer in the form $a+\ln b$, where a and b are constants. [5]

© UCLES 2022

5 Variables x and y are such that $y = \dfrac{\ln(2x^2 - 3)}{3x}$.

(a) Find $\dfrac{\mathrm{d}y}{\mathrm{d}x}$. [3]

(b) Hence find the approximate change in y when x increases from 2 to $2 + h$, where h is small. [2]

(c) At the instant when $x = 2$, y is increasing at the rate of 4 units per second. Find the corresponding rate of increase in x. [2]

© UCLES 2022

6 The normal to the curve $y = 1 + \tan 3x$ at the point P with x-coordinate $\frac{\pi}{12}$, meets the x-axis at the point Q.

The line $x = \frac{\pi}{12}$ meets the x-axis at the point R. Find the area of the triangle PQR. [8]

7 A curve $y = \mathrm{f}(x)$ is such that $\dfrac{\mathrm{d}^2y}{\mathrm{d}x^2} = (2-3x)^{-\frac{1}{3}}$. The curve passes through the point $(-2, 10.2)$. The gradient of the tangent to the curve at $(-2, 10.2)$ is –6. Find $\mathrm{f}(x)$. [8]

8 In this question, all lengths are in metres and all times are in seconds.

A particle A is moving in the direction $\begin{pmatrix} -20 \\ 21 \end{pmatrix}$ with a speed of 58.

(a) Find the velocity vector of A. [1]

(b) Given that A is initially at the point with position vector $\begin{pmatrix} 5 \\ -3 \end{pmatrix}$, write down the position vector of A at time t. [1]

A particle B starts to move such that its position vector at time t is $\begin{pmatrix} -35t+4 \\ 44t-2 \end{pmatrix}$.

(c) Find the displacement vector $\overrightarrow{AB}$ at time t. [2]

© UCLES 2022

(d) Hence find the distance AB, at time t, in the form $\sqrt{pt^2+qt+r}$, where p, q and r are constants.
[2]

(e) Find the value of t when the distance AB is $\sqrt{6}$, giving your answer correct to 2 decimal places.
[2]


9 **(a)** The function f is such that $\mathrm{f}(x) = \ln(5x+2)$, for $x > a$, where a is as small as possible.

(i) Write down the value of a. [1]

(ii) Hence find the range of f. [1]

(iii) Find $\mathrm{f}^{-1}(x)$, stating its domain. [3]

(iv) On the axes, sketch the graphs of $y = \mathrm{f}(x)$ and $y = \mathrm{f}^{-1}(x)$, stating the exact values of the intercepts of the curves with the coordinate axes. [4]



© UCLES 2022

(b) The function g is such that $g : x \mapsto x^{\frac{1}{2}} - 4$, for $x > 0$. Solve the equation $g^2(x) = -2$. [3]

10 **(a)** The first three terms of an arithmetic progression are $\sin 3x$, $5\sin 3x$, $9\sin 3x$. Find the exact values of x, where $0 \leqslant x \leqslant \frac{\pi}{2}$, for which the sum to twenty terms is equal to 390. [6]

(b) The first three terms of a geometric progression are $20\cos y$, $10\cos^2 y$, $5\cos^3 y$.

(i) Explain why this progression has a sum to infinity. [2]

(ii) Find the value of y, where y is in radians and $0 < y < 2$, for which the sum to infinity is 9. Give your answer correct to 2 decimal places. [4]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

© UCLES 2022